

PROG/80


DEDICATED TO THE SERIOUS PROGRAMMER

APRIL 1980

VOL. 1, NO. 7

\$3.00

Devices (2), Redefining Level II Keyboard,
Writing System Tapes, Forum 80,
and much more!



S-80 SPECIALIZED SOFTWARE SOURCES



A softside service for the personal computer market

Quite often we receive submissions that are not commercially marketable. For example, someone may have a useful program for rabbit breeding, but we do not have enough demand for it to justify the cost of reviewing, advertising, and publishing it. A medium is needed for the exchange of information on specialized programs.

Therefore we will maintain a catalog of sources for this software and publish it quarterly at a nominal cost. If you would like to list your software (FREE!), send this form to:

**S.S.S.S.
P.O. Box 68
Milford, NH 03055**

This is a medium for original authors only. Name and address of the programmer must appear in ad. We reserve the right to refuse any ad, and will publish only ads for non commercial practical applications. SoftSide does not review or warranty these programs in any way.

SUBMISSION FORM:

PLEASE PUBLISH THE FOLLOWING AD IN S.S.S.S.:

NAME _____

ADDRESS _____

I CERTIFY THAT I AM THE AUTHOR OF THE ABOVE PROGRAM.

(SIGNATURE)

PROE/80

BASIC

Redefining Level II Keyboard by Phelps Gates	10
Writing System Tapes by George Blank	18
Voice Synthesizer Laboratory by John Olson	26

DISK

BASIC File Utility by Clayton Schneider	36
Devices (2) by Lance Micklus	46


SHARING

TIME

First Time on the Source by Richard Taylor	56
Forum 80 by Richard Taylor	65

BITS

Stacking Subroutines by George Blank and John Hartford	70
Repeatable Randomness (Garon's Goodies) by James Garon	72
Zero Slash Killer by Timothy Smith	74
PROOFREAD by Frank Kaspar	76



T-SHORT™

SHORTHAND for LEVEL II and DISK BASIC

- * TSHORT™ lets you type LEVEL II end/or DISK BASIC more quickly end eccureately then ever before. Seve up to 90% programming time end echieve 100% eccuracy.
- * 31 programming statement keys.
- * KUSTOM™ key, up to 64 cherecters - changeeble anytime.
- * 42 key decels (see picture). 10 area different for DISK users.
- * A single, shifted-key entry types entire statement on screen.
- * Fast, efficient mechine lengluege.
- * Uses 580 bytes of LOW memory, i.e.: No MEM SIZE req'd.
- * Comes on cassettes, one side LEVEL II, the other for DOS.
- * Competible with DOS 2.1, 2.2, 2.3, NEWDOS, KBFIX, etc.
- * DOS version loede to end executes from disk vie TAPEDISK.
- * Features self-entering commands: CONT; GOTO10; KUSTOM™ (Self-enter optional)
- * TSHORT™ W/4 page Instruction manuel **\$9.95**



The Software Exchange
6 South Street, Box 68, Millford, NH 03055 603-673-5144

PROG/80

Publisher

Roger W. Robitaille, Sr.

Business Manager

Elizabeth J. Robitaille

Managing Editor

George W. Blank

Editor

Lance Micklus

Software Editor

James Garon

Time Sharing Editor

Richard Taylor

Copy Editor

Freida Day

Creative Director

Elaine Cheever

Production

Laurie Miller

Alison Willis

Gail Nash

Subscriptions Manager

Diana Bishop

Customer Service

Bette Keenan

PROG/80 is published bimonthly by SoftSide Publications, Milford, New Hampshire. Telephone (603) 673-5144. Subscription rates: USA regular bulk rate - \$15 per year. USA first class, Canada, Mexico, APO/FPO, overseas surface mail - \$21 per year. Overseas airmail - \$27 per year. Make all remittances payable in US funds. Mail Subscription inquiries to PROG/80 Subscriptions Manager, PO Box 88, Milford, NH 03055.

©SoftSide Publications 1979

All Rights Reserved.

PLEASE NOTE:

Our WATS line
number is:

1-800-258-1790

(In NH call 673-5144)

TOLL FREE

9 AM to 9 PM*

(Monday - Friday)

9 AM to 3 PM

(Saturdays)

It is **ONLY** to be used for
ordering software.

Programmers will not be
available on this line.

HOTLINE Hours:

Tuesday Nights

7-10 p.m.*


673-5144

Your Cooperation Will Be
Most Appreciated

*Eastern Standard Time

Outgoing Mail

by Lance Micklus



This month's \$64,000 question is — which operating system will ultimately dominate the TRS-80 Model II market. TRSDOS, CPM, or VTOS — all are, or will be at some point in the future, be competing to be the operating system to use.

Unlike the TRS-80 Model I, the rules of the game are a little different this time. The three most used Model I operating systems are relatively compatible with one another. That is, unless you try to use some specific feature which one system has, but is not in the others. Like OPEN "E". As a software developer, I would not want to write any software that locks me into one particular operating system without a good reason for taking advantage of that feature. In most types of programs, however, you can avoid these system extensions, and write code which will run on all three.

Not so with the TRS-80 Model II. At the machine language level, where I'm doing a lot of work right now, I must work with that operating system, and only that operating system. A Model II ST80 for TRSDOS, will not work at all under Model II CPM.

The Model II is now making some people aware of an important fact. Without the support of software developers, users will not use that operating system. Wouldn't it be interesting if CPM became the standard operating system for the

Model II? That would certainly get Radio Shack to think about how important their own software is. The conclusion I think they'll reach is, "so what".

I think, if things reach that point, Radio Shack will just keep selling their Model II's, with Model II TRSDOS, an operating system nobody uses, and smile all the way to the bank. It wouldn't be the first time that's happened. There have been other computer systems that came with their own operating system, even a BASIC, that nobody used.

The thing that will make or break CPM on the Model II are the software distributors. Lifeboat Associates recently went out of their way to see that software developers got CPM for the Model II by selling it at a special price. Clearly, Lifeboat knows that if they're going to sell CPM, and CPM software, the software people, like myself, have to support them. If it works, Lifeboat stands to make a fortune.

Randy Cook, too, realizes that his VTOS, even on the TRS-80 Model I, must get the support of software developers and dealers if it is to survive. And the latest rumor has it that there is a SUPER DOS coming out, and the software dealers and

developers are going to be stroked, so they'll support it.

In the end, I think it will turn out this way. Randy Cook is the best DOS author in the country, possibly the world. But, if you read my article called GOING INTO BUSINESS in the EIGHTY (Feb. 1980), then you know that his success is going to be more a matter of how good a business man he is. With all due respect to Randy Cook, he writes a terrific DOS, but a lousy business contract. That's what will decide if the market will go for VTOS, or SUPER DOS.

On the TRS-80 Model II, I think it could go either way. Or, it might turn out to be a split system, with some users running TRSDOS, and others using CPM, and still others going for VTOS (if and when we ever see it). Based on the choice of TRSDOS or CPM, I'll pick TRSDOS, much as I hate it — low as my opinion of it is (which is pretty low, folks).

Look at it this way. Let's say I want to write a payroll program. If I try to write it for the Model II CPM system, then I'm competing with all of the other CPM payroll systems — some of which have been around for years. I've got a better shot on TRSDOS because there is less competition, and what competition there is will be leaving the starting gate the same time I am. Second, everybody who owns a Model II owns TRSDOS, but not everybody with a Model II owns CPM. Third, there is clearly just one single BASIC which is the standard for TRSDOS on the Model II, and everybody owns it. With CPM, there is no standard BASIC. So, I can only market to those CPM people who own the same BASIC as I'm using. If they don't own it, then they have to convert the code over to their BASIC. The fact of the matter is

that users want to buy programs that load and go, and do not want to have to sit there for hours on end changing the code to work with their own BASIC.

You might think that VTOS will come in too late in the game to compete against CPM and TRSDOS. I don't think so, not yet. Most Model II users I know are hanging loose, still not strongly committed to one operating system or the other. In fact, many Model II users don't have much software to run on their computers, short of what little they've written themselves. So, the market is still fluid.

VTOS has most of the advantages of TRSDOS in the Model II environment. It could be well supported by software people who would rather work with a new operating system than compete with an old one. Furthermore, VTOS would come with its own BASIC, eliminating the question of which BASIC to write for. Finally, software distributors could get a license for it, so they could support it. The main draw back to it, like CPM, is that fact that not everybody will own VTOS.

I happen to have another reason for at least wishing that VTOS becomes the standard operating system, at least on the TRS-80. If you trace the roots of TRSDOS back, you don't have to look far to find Randy Cook. But, what most people don't know is that if you trace the roots of CPM back far enough, there he is again — Mr. Randy Cook. He is the father of the Z-80 and 8080 operating systems. I think he should at least get his fair share of the market place.

Outstanding Utilities from RACET Computes

INFINITE BASIC

Adds more than 70 commands to BASIC that can be merged in any combination to make efficient use of memory. Includes matrix read, inverse, transpose, identity, simultaneous equations, scalar, vector, and multidimensional array arithmetic, dynamically reshape, expand, and delete arrays, change arrays in mid program, read and write arrays on tape, copy elements, zero and move arrays. String functions include left and right justify, truncate, rotate, text justification, string centering, delete and insert substring, pack string, convert upper and lower case, translate characters, reverse strings, verify function, test number of occurrences, masked string searches, encrypt and decrypt string, compress and uncompress string characters. High speed sort routines for strings and arrays, including multikey sorts, are also part of this package.

For business users, an add on package includes multiple precision packed decimal arithmetic, with up to 127 digits of accuracy, binary search of sorted arrays, insert elements in sorted arrays, automatic page headings, footings, and pagination including forced end of page, and automatic hash for record retrieval. **Infinite BASIC \$49.95. Infinite business (add on) \$29.95**

COMPROC COMMAND PROCESSOR

Chain multiple steps in disk BASIC upon power up, relocatable key debounce, allows pauses for data entry at specified steps during execution (on cassette for disk systems only) for **\$19.95.**

DOSORT

BASIC control program with high speed machine language sort for disk users. Merge and sort files on more than one disk if you have 2 or more drives. Self prompting with manual. Specify 32K or 48K version **\$34.95.**

GSF GENERALIZED SUBROUTINE FACILITY

18 machine language subroutines with easy access for BASIC users. Sort 1000 element arrays in 9 seconds, read and write arrays to tape, compress and uncompress data, move arrays in memory, duplicate memory, fast horizontal and vertical lines, 5 routines for screen control. Specify 16K, 32K, or 48K version, for **\$24.95.**

REMODEL PROLOAD

BASIC program utility allows you to renumber portions of a program, move portions from one location to another, delete, merge, save and verify combined and changed programs, and create your own library of programs, subroutines, and even data statements. Works on tape or disk systems. Two programs on one tape. Specify 16K, 32K, or 48K (unspecified orders receive 16K) tape **\$34.95**

TIMSER

Time series analysis program fits data to 9 different 1st, 2nd, and 3rd order curves. Goodness of fit data, tables, projected data, confidence limits, curve fit, variance, correction factor, seasonal and cyclical variations, inflation corrections are all implemented. Detailed user manual with illustrated examples. Order tape at **\$14.95.**

Y-YBAR

Optical system design program allows manipulation of ray heights at lens surfaces using Y-Y Bar diagram method. With documentation on tape for **\$14.95.**

DISK SORT/MERGE

DSM IS POWERFUL!!!!!!

- Sorts large multiple diskette files on a minimum two drive Mod-I disk system.
- All records are physically rearranged — no key files are required.
- Sorts random files created by BASIC, including files containing sub-records spanning sectors.
- Sorts on one or more fields in ascending or descending order. Fields may be character, binary integer, or floating point.
- The sorted output file may optionally have fields deleted, rearranged, or padded.
- Sort commands can be saved for reuse in production applications.
- Single sort, merge, or mixed sort/merge operations may be performed in a single DSM application.
- Sorted output may be written to a new file, or replace the original input file.

DSM IS FAST!!!!

DSM is written entirely in machine language for fast sorting. **\$75.00**



The Software Exchange

6 South Street, Box 68, Milford, NH 03055 603-673-5144

The Software Exchange would like to announce that Microcomputer Applications is an authorized dealer of their software in England. Contact: William F. Jupp, 11 Riverside Court, Caversham, Reading, RG4 8AL, England. Telephone (0734) 470425

(or the PET...), and a thoroughly debounced keyboard. The routine described here is slightly different from the one I used in the APL interpreter — it's been modified to work with BASIC programs.

The key to the keyboard routine is location hex 4016-7 which contains the address of the keyboard input subroutine. When you call 2BH for keyboard input, the ROM I/O routine looks in 4016-7 to find the address of the keyboard scan. Normally it finds 03E3 there: this is the address of a routine which gets the ASCII value of the keypress into the A register (or zero if the keyboard is clear). But you can fool the computer into using your own input routine if you put its address into 4016-7: now, when 2BH is called (either by you or by BASIC), control will pass to your keyboard input routine. The video display works the same way; a call to 33H will eventually end up at the routine whose address is in 401E-F (normally 0458H), and you can change this one too.

The following routine sets up the address changes (I've assembled it at 7F80H — MEMORY SIZE 32639 — but it can go anywhere if you make the appropriate changes):

```
7F80 218F7F  SETUP      LD  HL,KEYBO    ;KB routine address
7F83 221640          LD  (4016H),HL  ;to control block
7F86 21C97F          LD  HL,VIDEO    ;video routine
7F89 221E40          LD  (401EH),HL  ;to control block
7F8C C3191A          JP  1A19H      ;back to BASIC
```

If you're starting a machine language program instead of going back to BASIC, replace the last instruction with a jump to your main program. You can't use POKE to put the address of KEYBO into 4016-7, because it's a two-byte address and you can only POKE one byte at a time. As soon as you POKE one of the bytes, 4016-7 will contain a garbage address, and since BASIC is constantly scanning the keyboard it will immediately head for the twilight zone (also known as MEMORY SIZE?).

The actual keyboard intercept routine is pretty straightforward. We begin by calling 03E3 to get the keypress value:

```
7F8F CDE303  KEYBO  CALL 03E3H
```

Now check to see if it's time to flash the cursor on or off:

```
7F92 21BF7F          LD  HL,COUNT    ;count the scans
7F95 35          DEC  (HL)          ;256 scans done?
7F96 200E          JR   NZ,NOFLIP    ;if not, don't flash
```

COUNT is a byte (at the end of the routine) which counts the number of times the keyboard gets scanned. Conveniently enough, you get a nice flash rate if you flash the cursor once for every 256 scans; so all you have to do is count this byte down to zero over and over. Note that we don't have to save any registers (except A), since the keyboard scan routine is through with them.

Now flash the cursor (if it's time):

```
7F98 F5          PUSH AF          ;save keypress
7F99 3AC07F          LD  A,(CURSOR)  ;blink the cursor
7F9C EE0F          XOR  0FH          ;flip 80H to BFH
7F9E 32C07F          LD  (CURSOR),A  ;new cursor
7FA1 2A2040          LD  HL,(4020H)  ;screen location
7FA4 77          LD  (HL),A          ;cursor to screen
7FA5 F1          POP  AF          ;restore keypress
```

CURSOR is a byte which alternates between 80H (space) and 8FH (graphics square) by means of the exclusive or instruction. Location 4020-1 hex contains the address on the video screen where the next character is due to be printed.

```
7FA6 B7      NOFLIP      OR  A           ;any key down?
7FA7 C8      RET  Z       ;if not, we're done
```

Now set up for key redefinition:

```
7FA8 21C17F      LD  HL,TABLE      ;conversion table
7FAB 010400      LD  BC,4          ;4 bytes to check
7FAE EDB1        CPIR              ;scan table
7FB0 2005        JR   NZ,DEBOUN    ;NZ if no match
```

The CPIR instruction scans the conversion table (located after this routine), looking for a match with the A register. If it finds one, it sets the zero flag and leaves HL pointing one byte past the matching byte. If it doesn't find a match within 4 bytes (specified by BC), it resets the zero flag. You can customize the conversion table for your own needs: I used the shifted arrow keys for left, right, and down arrows, and the CLEAR key (value 31) to produce an underscore for the APL negation sign.

Now we make the conversion (if necessary) and debounce the keyboard:

```
7FB2 010300      LD  BC,3          ;we're one past
7FB5 09          ADD  HL,BC        ;up to new value
7FB6 7E          LD  A,(HL)        ;and convert
7FB7 0E19      DEBOUN  LD  C,25    ;set delay
7FB9 10FE      WAIT   DJNZ WAIT    ;inner loop on B
7FBB 0D          DEC  C            ;outer loop on C
7FBC 20FB        JR   NZ,WAIT
7FBE C9          RET              ;all done
```

Starting with a value of 25 for C will loop through the delay 6400 times, which should debounce even the dustiest keyboard.

Now we define bytes for COUNT and CURSOR:

```
7FBF 00      COUNT  DEFB 0
7FC0 80      CURSOR  DEFB 80H      ;alternates 80/8F
```

And finally the conversion table (first the original values, then the converted values):

```
7FC1 18      TABLE  DEFB 24      ;arrow keys (shifted)
7FC2 19      DEFB 25
7FC3 1A      DEFB 26
7FC4 1F      DEFB 31              ;and CLEAR
7FC5 5D      DEFB 93              ;arrow characters...
7FC6 5E      DEFB 94
7FC7 5C      DEFB 92
7FC8 5F      DEFB 95              ;and underscore
```

We also have to make a few changes to the video printing routine. I decided to print a graphics dot (90H) before shifted letters to distinguish them from unshifted ones. We also need to blank out the cursor when a carriage return or backspace is printed, since otherwise a cursor square sometimes gets

stranded at the end of a line; it turns out to be simplest just to blank the cursor every time any character is printed. Finally, we have to backspace twice when we're erasing a shifted character, in order to get rid of the graphics dot; if we required the user to backspace again to get rid of the dot, things would get fouled up in the input buffers.

The following routine intercepts the video output routine to accomplish all this:

```

7FC9 F5      VIDEO    PUSH AF          ;save registers
7FCA D5      PUSH DE
7FCB DDE5    PUSH IX

```

This time we do have to save the registers, because the video routine which we'll eventually jump to (at 0458H) gets very unhappy if it finds the wrong values there (it doesn't care about HL, though). First we blank the cursor:

```

7FCD 2A2040   LD HL,(4020H) ;screen location
7FD0 3620     LD (HL),20H   ;blank it

```

Now check to see if an extra backspace is needed. We want to backspace twice if the previous character is shifted (and therefore preceded by a dot). Also, of course, the character about to be printed must be a backspace (ASCII 8). So we check for both these conditions. At this point in the I/O routine, the character to be printed is in the C register:

```

7FD2 2B       DEC HL        ;back 2 spaces
7FD3 2B       DEC HL
7FD4 7E       LD A,(HL)     ;a dot?
7FD5 FE90     CP 90H
7FD7 2008     JR NZ,NODOT   ;if not, forget it
7FD9 79       LD A,C        ;C has character
7FDA FE08     CP 8          ;backspace?
7FDC C5       PUSH BC       ;save C (the char)
7FDD CC5804   CALL Z,0458H  ;extra backspace
7FE0 C1       POP BC        ;restore character

```

We have sneaked in an extra backspace which won't appear in the input buffer, just as the dot we print doesn't appear there; this keeps everything straight. Now print a dot, if necessary:

```

7FE1 79      NODOT    LD A,C        ;check character
7FE2 FE61    CP 'A'+32  ;carry if unshifted
7FE4 C5      PUSH BC   ;save character
7FE5 0E90    LD C,90H   ;graphics dot
7FE7 D45804  CALL NC,0458H ;print, if shifted
7FEA C1      POP BC    ;restore character

```

Finally we restore the other registers and jump to the ROM video routine to print the character:

```

7FEB DDE1    POP IX
7FED D1      POP DE
7FEE F1      POP AF
7FEF C35804  JP 0458H      ;ROM print routine
7F80         END SETUP

```

ADVENTURES

by Scott Adams

Adventures on Tape: *Level II, 16K*

Adventure Sampler

Short version of Adventureland, a great way to try out adventuring (but you'll get addicted!) \$5.95

Adventureland

An enchanted world with 13 lost treasures guarded by magical beings. \$14.95

Pirate's Cove

Clues in blood-soaked books, a pirate and his parrot, alligators, treasure. \$14.95

Mission Impossible

A chance to prevent the nuclear reactor from being destroyed by a saboteur's time bomb. \$14.95

The Count

Watch out! you're in Dracula's castle and you must destroy him before he bites you! \$14.95

Voodoo Castle

Remove a curse from Count Christo \$14.95

Strange Odyssey

Adventure in outer space in the ruins of an ancient alien civilization \$14.95

Mystery Fun House

It will take all your ingenuity just to get past the ticket counter, and that's only the beginning! \$14.95

Pyramid of Doom

In the shifting sands of the Sahara lies an ancient Pyramid, filled with Egyptian treasures \$14.95

Adventures on Disk, in Sets:

Set 1: Mission Impossible, Pirate's Cove, Adventureland \$39.95

Set 2: Voodoo Castle, The Count, Strange Odyssey \$39.95

The Software Exchange

NEW FROM ACORN SOFTWARE PRODUCTS, INC.

LANGUAGE TEACHER SERIES: Spanish or French

by Cindy and Andrew Bartorillo


Tests you on nouns, verbs, or miscellaneous words; tests your abilities at phrase translations, allowing you to choose whether to translate to English or from it; drills you on verb conjugation. You may choose multiple choice mode or "go it alone". Gives you running percentage of right answers; then retests you on missed answers, gives diagnostic results to show where you need most work, and generates printed tests!

32K, disk only Specify language

\$19.95 each

The Software Exchange

6 South Street, Box 68, Milford, NH 03055 603-673-5144



Sooner or later
someone had to write it!

ROOTS

32K, disk
... **\$19.95**

Genealogy has become an enormously popular pastime (as well as a lucrative profession for some) in the last few years.

The fascination is endless. Once you've come across your first amazing revelation — that you have a colorful ancestor who was a famous Indian Chief, or an advisor to an English King, or what-have-you — you're hooked, my friend, and as these people who were your progenitors come alive for you, like characters in a play, so does history itself light up like a stage.

ROOTS is an indispensable aid for all genealogists, whether amateur or professional. Up to nine generations of data may be placed into memory per file. Allows display of known data concerning a given individual; display of four-generation pedigree; searches for specific information within a given category (finds all "Smith" last names, or all births in the 1890's, for example); sorts by any selected category; gives printed reports.

The Software Exchange

6 South Street, Box 68, Milford, NH 03055 603-673-5144

THENOTE: ST-80 is a trademark
of Lance Micklus, Inc.

by Lance Micklus

The ST-80 family of smart terminal packages

Now you can have the right terminal package for your communication needs! From ST-80 UC — the simple, pre-set, inexpensive terminal program designed for users of THE SOURCE, MICRONET, and FORUM 80 — to the power and sophistication of ST-80 III, The Software Exchange has the package for you.

All four programs include the ability to use an unmodified TRS-80 keyboard to produce RUB, ESC, and other control characters for time sharing, software control of the RS-232-C board, repeat key, bell, software support for the three most common upper/lower case hardware conversions, and line printer output.

ST-80 UC 4K Level II cassette, \$24.95

This universal communicator program is an easy-to-use timesharing program for the beginner. Special features include preset parity, word length, and baud rate (regardless of switch settings on the RS-232-C board) for THE SOURCE, MICRONET, and FORUM 80, automatic testing of the RS-232-C board, and even spooling of prepared messages on tape directly into FORUM 80 using a basic program supplied as a line listing.

ST-80 4K Level II cassette \$49.95

The original smart terminal program for the TRS-80, ST-80 lets you reprogram your RS-232-C board from the keyboard, and run at different baud rates. Does not have auto testing of RS-232-C or tape spooling.

ST-80 D 32K disk program, \$79.95

Special features include connection time clock, option of user-created translation tables for keyboard, gathering and pre-formatting data to be sent directly from disk to host computer, spooling of received files to disk or printer, editing of received files, and auto logon. If you use it with VTOS 3.1, you also get device driven I/O, job logging, and chaining.

ST-80 III 32K disk program, \$150.00

ST-80 D with extra utility programs

The Software Exchange

6 South Street, Box 68, Milford, NH 03055 603-673-5144

CCA DATA MANAGEMENT SYSTEM

PERSONAL SOFTWARE

- Complete, illustrated manual in a three ring binder
- Handles 1, 2, 3, or 4 disk drives
- Written in BASIC, with instructions for writing your own programs to use DMS files, including I/O routines.
- Create, add, update, or delete files easily.
- Search any field for any data.
- Sort by any field.
- Print reports, selecting any fields in any order, and maintain totals and subtotals on any numeric fields.
- Print mailing labels.
- Print records selectively, for example, only customers with New York addresses.
- Codes printed on screen refer you to manual for explanation at all times $\frac{1}{2}$
- Complete Index in manual.
- Scan function to report statistically on file. You might ask how many accounts are overdue and receive a report that stated 10 records found in 200 records scanned (5% of file).
- Automatically tests line printer ready state to avoid system lockup.
- Printer alignment pattern for labels.
- Warning issued if you try to compact data without creating a backup. (You can ignore warning).

Comes on cassette tape for \$79.95 (plus \$2 shipping)



The Software Exchange

6 South Street, Box 68, Milford, NH 03055 603-673-5144

WRITING SYSTEM TAPES

By George Blank

I have long wanted to write a machine language monitor in BASIC to avoid the hassle of system tape loading and demonstrate what a monitor does. Most of the functions of a monitor are quite easy to duplicate with PEEK, POKE, and BASIC arithmetic commands. The one problem was saving machine language programs. Loading was not necessary, for the system command is built into Level II BASIC, but there is no punch command. In addition, BASIC is too slow to keep up with a 500 baud tape.

The first step was to discover the format for system tapes. Thanks to the magnificent instruction manual for TRCOPY (\$39.95 from Data Print Publishing) I soon had that

HEADER PORTION OF TAPE

Leader	A string of hex 00
Sync byte	Hex A5
Start code	Hex 55
Program name	Six ASCII bytes
Individual blocks of data	
(Maximum of 256 bytes of data in each block)	

INDIVIDUAL BLOCKS OF DATA

Block header code	Hex 3C
Length of block	Hex 01 (Decimal 1) to 00 (Decimal 256)
Start memory for block	(LSB, MSB)
DATA	# of bytes indicated by length of block
Checksum	Total formed by adding memory and data without carries in single byte

TRAILER BLOCK

End code	Hex 78
Execution address	(LSB,MSB)

Once I knew what had to go on tape, the only problem was to figure out how to do it. Since I was editing our first book, Pathways Through the ROM, which lists what each subroutine in the Level II ROM does (\$19.95 from TSE when published), that was also easy. I decided to make use of the following ROM routines:

01F8 HEX	Turns the cassette player off
0212 HEX	Selects cassette one when register A contains 0
0264 HEX	Writes one byte from register A to tape
0287 HEX	Writes a leader and sync byte

HOW TO USE THE PROGRAM

It is necessary to load the program name into 7000 to 7005 hex, the starting address of the data to be written to tape in location 7006 and 7007, with the least significant byte first, the length of the program in 7008 and 7009, again in least significant, most significant byte order, and then the execution address, also in Z-80 order.

Then press the play and record buttons on your tape recorder and call the routine with a jump to 700C hex. I did not include a routine to input the data in the program as I am using it in a BASIC program, and the BASIC program pokes the data into place.

If you want to relocate this program to another location in memory, you will have to change the address of "NAME", "START", "LENGTH", and "EXEC" in the lines listed in the symbol table at the end of the program. I used relative jumps in the rest of the program, so it can be moved easily.

With this program, you can really save any machine language program if you can find the start, end and execution addresses. The BASIC version included here is a minimal program for writing system tapes. I have modified this routine to use inside a packed string in my monitor-disassembler, "Super Simon", available from TSE for \$9.95. It will edit, zero, and save memory, and display it in HEX, ASCII, and Z-80 mnemonics to either the screen or the line printer.

700C	00100	ORG	700CH	
7000	00110 NAME	EQU	7000H	;STORE FILE NAME
7006	00120 START	EQU	7006H	;START OF DATA BLOCK
7008	00130 LENGTH	EQU	7008H	;REMAINING BYTES OF DATA
700A	00140 EXEC	EQU	700AH	;EXECUTION ADDRESS
01F8	00150 CASSOFF	EQU	01F8H	;TURN CASSETTE OFF
0212	00160 SELECT	EQU	0212H	;CASSETTE 1 OR 2?
0264	00170 WRITE	EQU	0264H	;1 BYTE TO TAPE
0287	00180 LEADER	EQU	0287H	;WRITE LEADER & SYNC BYTE
700C 210070	00200	LD	HL, NAME	
700F 1E06	00210	LD	E, 06H	;6 BYTES IN NAME
7011 AF	00220	XOR	A	

7012 001202	00230	CALL	SELECT	; CASSETTE 1
7015 008702	00240	CALL	LEADER	; WRITE LEADER & SYNC BYTE
7018 3E35	00250	LD	R, 55H	; START CODE
701A 006402	00260	CALL	WRITE	
701D 7E	00270 LOOP1	LD	R, (HL)	; ONE BYTE OF NAME
701E 006402	00280	CALL	WRITE	
7021 23	00290	INC	HL	
7022 1D	00300	DEC	E	
7023 20F8	00310	JR	NZ, LOOP1	
7025 200670	00320 LOOP2	LD	HL, (START)	; ADDRESS OF DATA BLOCK
7028 ED5B0070	00330	LD	DE, (LENGTH)	; LENGTH OF DATA BLOCK
702C AF	00340	XOR	A	; A=0
702D 0A	00350	CP	D	; BLOCK > 256 BYTES?
702E 2000	00360	JR	Z, ENDTST	; NO. END OF DATA?
7030 24	00370	INC	H	; ADDRESS OF NEXT BLOCK
7031 220670	00380	LD	(START), HL	; STORE
7034 25	00390	DEC	H	
7035 15	00400	DEC	D	; LENGTH AFTER THIS BLOCK
7036 ED530070	00410	LD	(LENGTH), DE	; STORE
703A 14	00420	INC	D	
703B 1006	00430	JR	BLOCK	
703D 00	00440 ENDTST	CP	E	; END OF DATA?
703E 2029	00450	JR	Z, TRAILR	
7040 320070	00455	LD	(LENGTH), A	; TRAILR NEXT TIME
7043 3E3C	00460 BLOCK	LD	R, 3CH	; BLOCK START CODE
7045 006402	00470	CALL	WRITE	
7048 70	00480	LD	R, E	; LENGTH OF DATA BLOCK
7049 006402	00490	CALL	WRITE	
704C 70	00500	LD	R, L	; LSB OF BLOCK ADDRESS
704D 4F	00510	LD	C, A	; BEGIN CHECKSUM
704E 006402	00520	CALL	WRITE	
7051 70	00530	LD	R, H	; MSB OF BLOCK ADDRESS
7052 006402	00540	CALL	WRITE	
7055 01	00550	ADD	R, C	; CHECKSUM
7056 4F	00560	LD	C, A	
7057 7E	00570 DATA	LD	A, (HL)	; 1 BYTE OF DATA
7058 006402	00580	CALL	WRITE	
705B 01	00590	ADD	R, C	; CHECKSUM
705C 4F	00600	LD	C, A	

705D 23	00610	INC	HL	; NEXT DATA ADDRESS
705E 1D	00620	DEC	E	; COUNT BYTES
705F AF	00630	XOR	A	; A=B
7060 08	00640	CP	E	; LAST BYTE?
7061 20F4	00650	JR	NZ, DATA	; GO FOR MORE DATA
7063 79	00660	CKSUM	LD A, C	
7064 CD6402	00670	CALL	WRITE	; WRITE CHECKSUM
7067 180C	00680	JR	LOOP2	
7069 3E78	00690	TRAILR	LD A, 78H	; END CODE
706B CD6402	00700	CALL	WRITE	
706E 210A70	00710	LD	HL, EXEC	; EXECUTION ADDRESS
7071 7E	00720	LD	A, (HL)	; LSB
7072 CD6402	00730	CALL	WRITE	
7075 23	00740	INC	HL	
7076 7E	00750	LD	A, (HL)	; MSB
7077 CD6402	00760	CALL	WRITE	
7079 CDF001	00770	CALL	CASOFF	
707D C9	00780	RET		
0000	00790	END		
00000 TOTAL ERRORS				
BLOCK 7043	00460	00430		
CASOFF 01F8	00150	00770		
CKSUM 7063	00660			
DATA 7057	00570	00650		
ENDTST 703D	00440	00360		
EXEC 700A	00140	00710		
LEADER 0207	00180	00240		
LENGTH 7000	00130	00330	00410	00455
LOOP1 701D	00270	00310		
LOOP2 7025	00320	00680		
NAME 7000	00110	00200		
SELECT 0212	00160	00230		
START 7006	00120	00320	00380	
TRAILR 7069	00690	00450		
WRITE 0264	00170	00260	00280	00470
		00490	00520	00540
		00580		
		00670	00700	00730
		00760		

```

18 REM * SYSTEM TAPE CREATION PROGRAM *
   * GEORGE BLANK - NO COPYRIGHT *
19 REM           * SET MEMORY SIZE * CLEAR RESTORE FLAG *
20 CLEAR50:DEFINTN,X,Y:POKE16561,254:POKE16562,111:POKE16553,255
29 REM * POKE SUBROUTINE INTO PROTECTED MEMORY *
30 FORX=28684TO28800:READY:POKEX,Y:NEXT
39 REM * POKE SIX CHARACTER NAME INTO 7000 HEX *
40 INPUT"<FILE NAME>";A$:A$=A$+"      ":A$=LEFT$(A$,6)
50 FORX=1TO6:Y=ASC(MID$(A$,X,1)):POKE28671+X,Y:NEXT
59 REM * POKE START LENGTH AND EXEC *
60 INPUT"<STARTING ADDRESS>";M:N=M/256:POKE28678,M-N*256:POKE286
79,N:INPUT"<ENDING ADDRESS>";E:L=E-M:N=L/256:POKE28680,L-256*N:P
OKE28681,N:INPUT"<EXECUTION ADDRESS>";M:N=M/256:POKE28682,M-N*25
6:POKE28683,N
69 REM * TAPE OR DISK BASIC? * APPROPRIATE USER ROUTINE *
70 X=PEEK(16396):IFX=201THENPOKE16526,12:POKE16527,112:X=USR(X):
END ELSECMD"T":DEFUSR=28684:X=USR(X):END
79 REM           * MACHINE CODE STORED AS DATA *
80 DATA 33,0,112,30,6,175,205,18,2,205,135,2,62,85,205,100,2,126
,205,100,2,35,29,32,248,42,6,112,237,91,8,112,175,186,40,13,36,3
4,6,112,37,21,237,83,8,112,20,24,6,187,40,41,50,8,112
90 DATA 62,60,205,100,2,123,205,100,2,125,79,205,100,2,124,205,1
00,2,129,79,126,205,100,2,129,79,35,29,175,187,32,244,121,205,10
0,2,24,188,62,120,205,100,2,42,10,112,126,205,100,2,35,126,205,1
00,2,205,248,1,201,71,87,66

```

Corrections To "What's In A Name" - February

The following letter was submitted by Ruben Rodriguez, El Paso, Texas...

I enjoyed the article "What's In A Name" by James Garon because it is one of the articles that has helped me to understand better and fully use the capabilities of my TRS-80.

However I discovered three mistakes that prevent the program from running properly; these are shown below:

- 10 The 8th entry data should be 254.
- 70 Change the equals to an asterisk (*)
- 80 Change the 70 at the end of this line to 80

I hope this information will help other readers to run this program.

KVP

Keyboard, Video, and Printer Enhancements by Lance Micklus

- ★ 900 byte machine language program allows you to use a serial printer with the TRS-80. You may specify acceptance of linefeeds, lines per page, characters per line, and printer handshake.
- ★ If you have the Radio Shack™, Electric Pencil™, or one of the other published lower case hardware conversions installed in your keyboard unit, KVP contains the software driver routines to enable the conversion.
- ★ Includes adjustable keyboard debounce routine. Another feature is direct entry of graphic and control characters from the keyboard.

Requires 16K Level II or Disk Basic.

On cassette \$24.95 Diskette \$29.95.

KVP 232, a special version for the small systems hardware TRS-232 interface, is available upon request at the same prices.

The Software Exchange

6 South Street, Box 68, Milford, NH 03055 603-673-5144

Tape Recorder Azimuth Adjustment

Kit Solve your tape recorder alignment



If the alignment of the read/record head on your tape recorder is slightly off, you may have a terrible time loading cassette tapes.

Get the Azimuth Adjustment kit from

Just Right Products \$9.95

Includes: Instructions, Template,
High quality narrow gauge screwdriver.



The Software Exchange

6 South Street, Box 68, Milford, NH 03055 603-673-5144

BASF CERTIFIED DISKETTES

A "best buy" — high quality
at a moderate price.

Box of 5	\$24.95 plus \$1.00 shipping
Box of 10	\$39.95 plus \$2.00 shipping
Box of 20	\$69.95 plus \$2.00 shipping
Case of 100	\$299.00 plus \$3.00 shipping

The Software Exchange

6 South Street, Box 68, Milford, NH 03055 603-673-5144

SYSTEM COPY

by Kalman Bergen

At last! A program which allows you to make backup copies of object ("system") tapes. No more worrying that a dropout will send you 'back to the Shack' for a new editor-assembler or chess program. Features include copy, verify read, rename, and verify write. No knowledge of machine language required, so order yours today!

For 16K, Level II — \$9.95

\$ DOME \$ BOOKKEEPING

for small business
by Roger Robitaille, Sr.

Based on the famous Dome Bookkeeping System, this program is designed to serve the small business with few employees. Uses the same chart of accounts as the Dome journal, with instructions on how to customize to your own needs. Presents data year to last week, this week, and year to date. Enter checks and deposits; receive screen or printed reports — account summary, check register, deposits, and profit & loss. *Manual provided.*

Tape version, Level II, 16K (without Dome Journal) \$24.95
(with Dome Journal) \$31.95
Disk version, 32K (without Dome Journal) \$29.95
(with Dome Journal) \$36.95

The Software Exchange

6 South Street, Box 68, Milford, NH 03055 603-673-5144

CROSS REFERENCE UTILITIES

from Lance Micklus

RX (Disk Varalon) 32K, 1 Disk Systems, on Disk
..... **\$24.95**

**XREF (Laval II Varalon) Level II, 16K,
on caaaatta** **\$19.95**

**RENUMX (XREF with renumber and rescue
after reaat)**
Level II, 16K, on caasette, **\$24.95**

RENUMBER (aaparately) **\$7.95**

The Software Exchange

6 South Street, Box 68, Milford, NH 03055 603-673-5144



VOICE SYNTHESIZER LABORATORY

by John R. Olsen, Jr.

Here is an indispensable aid if you're writing programs using the TRS-80 Voice Synthesizer.

The program displays the correct phonemes on the video screen: you try out various combinations until you get the right words, using all 62 phonemes, even the ones the Synthesizer manual indicates cannot be directly input from the keyboard.

You can listen to your creation as many times as you want without having to type it on the keyboard each time. When you are totally satisfied with it, add it to the in-memory vocabulary. You can also delete words from the memory, when desirable, and before you turn the TRS-80 off, make a copy of the vocabulary on a data tape.

As if all this weren't enough, there's a snappy Pork Pig imitation thrown in for good measure, which signs off the tapes with "TH-TH-TH-THAT'S ALL, FOLKS!"

```

60 REM WRITTEN 3/22/79 BY JOHN R. OLSEN JR.
70 REM P. O. BOX 181
80 REM NEWBERG, OREGON 97132
90 REM PHONE: (503) 538-3031
100 CLEAR(3000):DIM A$(1000):F=0:GOSUB790
110 CLS:PRINT"LONG SHORT \ \ \ \ \ \ \ \ \ \
\ \ \ \
120 PRINT"PAUSE PAUSE MAY DAD MOP CALL CLAIM MEET HEAVY OVER PIN
YOU COLD
130 PRINT"SPACE 8 ";CHR$(94);";"9 ";CHR$(93);";"A,12 *
.E 345 / ";CHR$(34);";"I# ( ";CHR$(92);";"0
140 GOSUB750
150 PRINT:PRINT" \ \ \ \ \ \ \ \ \ \ \ \ \ \
\ \ \ \
160 PRINT"BOOK TOO CUP ANY BAG CHIP DO BUTTER FAST GO HI JOB KIT
E LET MAN
170 PRINT" %'U 678 & B C D (DT) Q F G H J K
L M
180 GOSUB750
190 PRINT:PRINT" \ \ \ \ \ \ \ \ \ \ \ \ \ \
\
200 PRINT"NO SING PUT RED SO ASH IT PATH THE VAN WIN YES ZIP AZU
RE
210 PRINT"N + P R S > T = < V W Y Z X
T+C=CH
220 PRINT@960,"VOICE SYNTHESIZER LAB:";
230 PRINT@704,CHR$(30):PRINT:PRINT:PRINT@704,"-----"
WHICH DO YOU WANT TO DO: ";CHR$(93);";"-----";
240 PRINT"1. TRY NEW WORD 2. REPEAT LAST WORD 3. VOCAB
ULARY"
250 PRINT"(PRESS 9 IF THE RED ";CHR$(34);";"DEVICE SELECT";CHR$(
34);";" LIGHT GLOWS STEADILY)";
260 K$=INKEY$:IFK$=""GOTO260
270 T=100:IFK$="1"GOSUB470:GOSUB760:GOTO230
280 IFK$="2"GOSUB760:GOTO260
290 IFK$="3"GOTO320
300 IFK$="9"PRINT@992,"?";:PRINT@992," ";:GOTO260
310 GOTO260
320 PRINT@760,"1. ADD PREVIOUS WORD 2. SAVE ON TAPE 3. LOA
D FROM TAPE"

```



```

688 D$="SAVE":GOSUB740:IFC$="9"RETURN
690 PRINT" SAVING. . . ";FORW=0TOF-1:SV$=A$(W):B$=SV$:T=0:H=1:GOSU
B760:FORX=1TOLEN(SV$):Z=ASC(MID$(SV$,X,1)):IFZ=58Z=97:GOTO720
700 IFZ=44Z=98:GOTO720
710 GOTO730
720 SV$=LEFT$(SV$,X-1)+CHR$(Z)+RIGHT$(SV$,LEN(SV$)-X)
730 NEXTX:PRINT#-1,SV$:NEXTW:PRINT#-1,"<8<8<8<8<99TS18L0FOUKS":
RETURN
740 PRINT@704,CHR$(30):PRINT:PRINT:PRINT@768,"TO ";D$;"; GET CAS
SETTE READY, THEN PRESS ENTER":C$="":INPUTC$:RETURN
750 FORX=0TO62:PRINT"-":NEXTX:RETURN
760 PRINT@986,"";:IFH=1H=0:
PRINT@987,W+1;
770 PRINT@992,"?";B$;" -?";:FORX=0TOT.K$=INKEY$:IFK$="9"K=9
780 NEXTX:RETURN
790 CLS:PRINT@16,"VOICE SYNTHESIZER LABORATORY":PRINT:PRINT:C$="
N":INPUT"DO YOU NEED INSTRUCTIONS";C$:IFLEFT$(C$,1)<>"Y"RETURN
800 PRINT@192,"THIS PROGRAM WILL HELP YOU WRITE PROGRAMS USING T
HE TRS-80"
810 PRINT"VOICE SYNTHESIZER. YOU WILL NOT NEED TO REFER BACK AN
D FORTH"
820 PRINT"TO YOUR MANUAL FOR THE CORRECT PHONEMES, SINCE THEY NI
LL BE"
830 PRINT"CONVINIENTLY DISPLAYED ON THE VIDEO SCREEN. YOU CAN T
RY OUT"
840 PRINT"VARIOUS COMBINATIONS UNTIL YOU GET THE ";CHR$(34);"RIG
NT";CHR$(34);" WORDS, USING
850 PRINT"ALL 62 PHONEMES.":PRINT
860 PRINT"YOU CAN LISTEN TO YOUR CREATION AS MANY TIMES AS YOU W
ANT (FOR"
870 PRINT"EVALUATION) WITHOUT HAVING TO TYPE IT ON THE KEYBOARD
EACH"
880 PRINT"TIME. WHEN YOU ARE SATISFIED YOU HAVE IT PERFECT, YOU
CAN"
890 PRINT"ADD IT TO THE IN-MEMORY VOCABULARY.":GOSUB1320
900 PRINT"YOU CAN ALSO DELETE WORDS FROM THE MEMORY, IF DESIRED.
AND"
910 PRINT"BEFORE YOU TURN THE TRS-80 OFF, YOU CAN MAKE A COPY OF
THE"
920 PRINT"VOCABULARY ON A DATA TAPE, TO BE READ IN NEXT TIME YOU

```


USE THE"

930 PRINT"VOICE SYNTHESIZER LABORATORY. ":PRINT

940 PRINT"TO ENTER A WORD, JUST TYPE THE PHONEME SYMBOLS. NITH THIS"

950 PRINT"PROGRAM YOU ARE FREE TO USE ANY OF THE 62 SYMBOLS, EYE N THE"

960 PRINT"ONES THE MANUAL INDICATES CANNOT BE DIRECTLY INPUT FRO M THE"

970 PRINT"KEYBOARD. SO THAT THE BACKSPACE KEY REMAINS EFFECTIVE , YOU"

980 PRINT"ILL HAVE TO USE THE (SHIFT) KEY NITH ANY OF THE FOUR ARROWS. ":GOSUB1320

990 PRINT"TO HEAR YOUR CREATION AGAIN, PRESS 2. TO WORK NITH T HE IN-"

1000 PRINT"MEMORY VOCABULARY, PRESS 3. YOU CAN THEN ADD THE PR EVIOUS"

1010 PRINT"WORD TO THE VOCABULARY (PRESS 1), STORE THE ENTIRE VO CABULARY"

1020 PRINT"ON A DATA CASSETTE (PRESS 2), LOAD ADDITIONAL WORDS F ROM A"

1030 PRINT"DATA CASSETTE (PRESS 3), HEAR THE ENTIRE VOCABULARY (PRESS 4), "

1040 PRINT"OR DELETE ANY WORD FROM THE VOCABULARY (PRESS 5). ":PR INT

1050 PRINT"WHEN LOADING WORDS FROM A DATA CASSETTE, YOU DO NOT N EED TO"

1060 PRINT"WORRY THAT EXISTING VOCABULARY WORDS WILL BE LOST. A LL THE"

1070 PRINT"WORDS YOU HAVE CAREFULLY CREATED WILL BE SAVED, AND T HE OTHERS"

1080 PRINT"WILL BE ADDED ONTO THE END OF THEM. ":GOSUB1320

1090 PRINT"AS YOU LISTEN TO THE ENTIRE VOCABULARY, YOU WILL NOTI CE THAT"

1100 PRINT"EACH WORD IS NUMBERED. THIS IS SO THAT YOU CAN EASIL Y DELETE"

1110 PRINT"ANY WORD YOU DESIRE, BY REFERRING TO ITS NUMBER. (BE SURE YOU"

1111 PRINT"USE THE CORRECT NUMBER, KEEPING IN MIND THAT THE NUMB ERS SHIFT"

```

1112 PRINT"EACH TIME YOU DELETE A WORD). IF YOU WISH TO STOP TH
E WORDS"
1120 PRINT"WHILE LISTENING TO THE VOCABULARY (TO CHANGE A PHONEM
E, FOR"
1130 PRINT"EXAMPLE) SIMPLY PRESS 9 TO RETURN TO THE COMMAND LI
ST.":PRINT
1150 PRINT"FREQUENTLY, WHEN THE COMPUTER IS FIRST TURNED ON, THE
VOICE"
1160 PRINT"SYNTHESIZER'S ";CHR$(34); "DEVICE SELECT"; CHR$(34); " L
IGHT WILL GLOW CONTINUOUSLY,"
1170 PRINT"AND THE SYNTHESIZER WILL NOT PRODUCE ANY SOUND. THIS
IS NOW"
1180 PRINT"SIMPLY A MATTER OF PRESSING 9 AND THE PROBLEM IS SO
LVED. ":GOSUB1320
1190 PRINT"ANOTHER NICE FEATURE IS THAT AS A DATA TAPE IS READ I
N, YOU"
1200 PRINT"WILL HEAR ITS CONTENTS SPOKEN ALOUD. WHEN THE TAPE E
NDS, THE"
1210 PRINT"SYNTHESIZER WILL GIVE A PORKY PIG IMITATION: TH TH T
H THAT'S"
1220 PRINT"ALL FOLKS! THIS INDICATES THE END OF DATA, BUT IS NO
T ADDED"
1230 PRINT"TO THE VOCABULARY. ":PRINT
1240 PRINT"USING THIS PROGRAM, YOU WILL SPEED UP YOUR CREATION O
F WORDS"
1250 PRINT"AND PHRASES ON THE TRS-80 VOICE SYNTHESIZER. EVERYTH
ING IS"
1260 PRINT"AT YOUR FINGERTIPS: A COMPLETE LIST OF THE PHONEMES O
N SCREEN"
1270 PRINT"AND THE ABILITY TO SIMPLY USE ALL 62 PHONEMES. PLUS
THE"
1280 PRINT"ABILITY TO CREATE AND SAVE A VOCABULARY. ":GOSUB1320:P
RINT:PRINT
1290 PRINT"FOR YOUR CONVINIENCE, ALL COMMANDS FOR USING THIS PRO
GRAM, ARE"
1300 PRINT"LISTED AT THE BOTTOM OF THE SCREEN AT ALL TIMES, SO Y
OU DO"
1310 PRINT"DO NOT NEED TO MEMORIZE THEM. ":GOSUB1320:RETURN
1320 PRINT:INPUT"PRESS ENTER TO CONTINUE";A$:CLS:PRINT:RETURN

```

byte off all you can chew!



Z-80 and 8080 Assembly Language Programming

by Kathe Spracklen

Finally! A good tutorial book on assembly language programming by a master of the art! Kathe Spracklen, co-author of Sargon, tells you how with simple straightforward instruction. **\$7.95 + \$1 shipping**

Microsoft Editor/Assembler Plus

Plus what? Well, you get the features of the T-Bug and the original editor/assembler plus macros and conditional assembly, plus extra commands like substitute, move, copy, and extend, plus Z-Bug, a powerful debugging monitor with 8 level breakpoint capability. A bargain at **\$29.95**

Super Simon

By George Blenk

Complete Z-80 Disassembler with ability to generate symbol tables, dump in Hex, ASCII, or even decimal with poke addresses. Writes machine language tapes. Written in BASIC so it loads easy and is easy to modify. **\$9.95**



The Software Exchange

6 South Street, Box 68, Milford, NH 03055 603-673-5144

The Best Has Gotten Better!

Sargon, the program that came in first in the Creative Computing Microcomputer Chess Tournament, has become Sargon II - **\$29.95**

- A vastly improved game
- Faster response time
- New level 0 for beginners
- Easier to pre-set board
- Hint mode - What does the computer suggest

Sargon II is the program that took on the maxi-computers in the West Coast tournament, and finished in the money! More thinking power than you ever expected in a TRS-80.

Now in stock for immediate delivery!

SARGON II



TSE

The Software Exchange

6 South Street, Box 68, Milford, NH 03055 603-673-5144

STAD

Symbolic Trace and Debug

A powerful monitor for the TRS-80 with special ability in Tracing and Debugging. Single Step through machine language programs or set up to three breakpoints, and look at this display format!

```

AF  BC  DE  HL  IX  IY  AF' BC' DE' HL' SP  PC
0044 0000 C000 B77C 6433 FFFF 0102 0000 4000 3FC8 41FC 4400
4400  LD  R,93
    
```

All the power of regular monitors as well. Look at these commands:

A FIRST(0) LAST(FFFF)	ASCII dump
A FIRST 0	formatted ASCII dump
B	start of branch table
B VALA	display in decimal
B VALA VALB(0)	hex arithmetic
C	check system tape
D FIRST(0) LAST(FFFF)	dump hex
E FIRST(0)	edit memory
F FIRST LAST VALUE	find byte
G BRKPTS (3 max.)	set breakpoints, continue
H FIRST LAST VALUE	find word
I PORT	read port
K	keyboard echo
L	load system tape
L SECTOR MEMORY COUNT(1)	load from disk
M FIRST LAST BLOCK	move memory
N	display symbol table
N 0	symbol table to tape
N VALUE	define value for symbol table
N FIRST 0	define start symbol table
O PORT VALUE	write to port
P	initialize memory blocks
P ENTRY	write memory blocks and start
P FIRST LAST	define a memory block
Q FIRST LAST	calculate checksum
R	display / modify registers
S FIRST LAST OPTION(0)	disassembler
T COUNT OPTION(6)	trace instructions
U FIRST COUNT OPTION(0)	unformatted tape I/O
V FIRST LAST BLOCK	verify memory
W SECTOR MEMORY COUNT(1)	write to disk
X FIRST LAST BLOCK	exchange memory
Z FIRST LAST VALUE(0)	zero memory

16K, 32K, and 48K versions on one cassette for \$24.95
(Use from tape in Level II or as a command file from Disk)



The Software Exchange

6 South Street, Box 68, Milford, NH 03055 603-673-5144



ADVENTURE

Get the granddaddy of the Adventure Games!

From MicroSoft, the people who wrote BASIC for all the personal computers, comes a version of the original Adventure. NOW, you no longer need a PDP-10 for all the power of the original game!


This game fills an entire diskette. Endless variety and challenge as you seek to rise to the level of Grand Master (until you gain skill, there are whole areas of the cave that you cannot enter.)

Requires 32K One Disk ONLY \$29.95!



The Software Exchange

6 South Street, Box 68, Milford, NH 03055 (603) 673-5144



BASIC FILE UTILITY

by Clayton Schneider

NOTES ON OPERATION:

The program is self prompting. If you are using only one drive, you may omit lines 20 and 30 and set `DR$='0'` in line 10.

When converting ASCII files to PENCIL, care should be taken that the target file has no strings longer than 30 or so characters without a space, or PENCIL may malfunction. I.E. 'packed' BASIC files should be expanded with spaces.

PENCIL files of BASIC text lines can be loaded directly by BASIC. The lines must have no imbedded CR's—only one CR at the end of each

line. The line numbers may however be out of sequence in the PENCIL file—BASIC will sort them out when it loads them.

Performing conversions on files which are not stored in ASCII format is not recommended (BOMB).

'EXIT TO PENCIL' command assumes of course, that PENCIL/CMD is available on a drive in the system.

NOTES ON THE PROGRAM ITSELF:

Lines 10-40 initialize the system and present the user with a choice for target drive. All subsequent operations will be performed only on that

drive. Z\$ represents a filename of ZZ00QQ/CES which will be used as a dummy file when executing the conversion to EDTASM utility. If you have any files by this name (????) then you should change the value of Z\$.

Lines 50-150 present the program menu. The call to line 920 in 150 produces a flashing cursor on the screen and accepts a single key input returned in IN\$. If IN\$ passes the value test in line 150, then the value of IN directs the program to the proper branch set in line 160.

Lines 120-250 represent the PURGE portion of the program. Lines 170-200 input the decision for a selective or total purge (of visible, non-protected) files. Line 210 first calls the routine at 760-200 to establish the names of the extant disk files and return them in A\$(1) with the number of files in N. Then, if a selective purge was chosen, there is a call to 860-900. This routine moves the flashing cursor to the right of each (non-protected) file shown in the directory and accepts a decision to Kill or Retain each.

If the decision is to retain the file, its' name in (A\$(1)) is set to 'null'. Lines 220-230 form a protective 'stop' so that if an incorrect decision was made (or even an unintended decision for a total purge), exemption of the purge may be aborted. Lines 240-250 do the actual killing of the selected disk files and display what's happening.

Lines 260-340 do the same for the conversion routine that lines 170-230 do for the purge routine above. This portion of the program is common to both the 'TO PENCIL' and 'TO EDTASM' conversions. The correct prompt is chosen by the value of F\$ in line 260. Unlike the Purge routine, the conversion routines allow the user NOT to use

the directory. In this case only one file name is input and converted (line 290). Line 320 represents the same protective 'stop' as with the purge routine. Line 340 directs the further branch of the program to either PENCIL or EDTASM (the 'GO TO ..10' is a dummy branch, as FC\$ will never equal '1' at this point in the program).

Lines 350-420 perform the conversion to PENCIL. The essence of the conversion is to add a 00 byte to the end of the file followed by several spaces (just in case), and to re-name the file to have the extension 'PCL' so it may be read PENCIL. Using NEWDOS, the first can be done by opening the file at the end with the 'E' option and then printing those bytes to it. The routine from 380-400 examines the name of the target file and strips any extension from it (if there is one) and adds the extension /PCL. Then CM\$ is built from the old filename and new filename to perform the actual renaming by executing CMDCM\$. Lines 350 and 420 construct the loop to convert as many files as were targeted.

Lines 860-900 use the length of the file names found in lines 760-850 above, flash a cursor to the right of the name, and accept a decision to purge or convert. If the file is to be 'passed over' for the particular function, the filename is set to 'null' in A\$(1). By comparing the user input to the values S1\$ and S2\$ which are set in the calling routine, this sub-function can accept a different decision making input for the different functions.

Line 910 is the error trapping routine set in line 760 to catch the possibility of the selected drive being not ready.

Line 920 flashes a graphic character at the current cursor position until an keyboard input is received, at

which time it returns to the calling routine.

Lines 930-940 increment the cursor position by the proper spacing found in the directory display.

Lines 430-550 perform the conversion to EDTASM. The essence of the conversion is to add a D3 Hex byte followed by six bytes representing the name of the file to the start of the file and adding a 1A Hex byte to the end. In addition, the five digit line numbers of EDTASM file are offset by 80 Hex from their actual ASCII representations. The conversion is done by writing the new header bytes to a new file named Z\$, inputting a line at a time from the old file and modifying the leading 'number' bytes, writing the trailing byte, killing the old file, and finally renaming the new file to the old filename with a new extension ('/SRC'). Lines 460-480 create the six byte filename for the header of the EDTASM file, stripped of its extensions and padded to the right with blanks and write this header to the file Z\$. Lines 490-510 input a line at a time of the old file, modify the

first five bytes, and write the new line to the file Z\$. Line 520 writes the trailing byte, closes the new file, and kills the old file. Line 530 renames the new file to the old filename with the new extension. Lines 420 and 550 construct the loop to convert as many files as are targeted.

Lines 730-750 are the three branches out of the program.

Lines 760-850 call the directory from basic, and then peek at the proper screen locations to construct the names of each file called up by the directory. As the file names are always displayed at the same locations, and never contain spaces, the routine peeks at the first possible location, adds that value to A\$(1), increments the location by one, and checks for a space. If a space is found, then the filename has been fully constructed, I is incremented and the 'peek' is incremented to the next possible starting location. If a space is found in the new first location, then all directory entries have been found.

```
1 REM *****
```

```
  * BASIC FILE *
```

```
  * UTILITY *
```

```
  * BY CLAYTON SCHNEIDER *
```

```
  *****
```

```
10 CLS: CLEAR 1000: DIM A$(30): CL$=CHR$(29)+CHR$(31): PRINT CHR$(23);
```

```
20 PRINT "DRIVE # (0-3) ";
```

```
30 GOSUB 740: IF IN$( "0" OR IN$ ) "3" THEN G30
```

```
40 DR$=IN$: Z$="ZZ0000/435:" + DR$
```

```
50 CLS: X=15468: I=0: N=0: Y=0: PRINT CHR$(23); : PRINT: PRINT
```

```
60 PRINT TAB(4)"BASIC FILE UTILITY": PRINT
```

```
70 PRINT TAB(4)"1 = PURGE"
```

```
80 PRINT TAB(4)"2 = ASC TO PCL"
```

```


90 PRINTTAB(4)*3 = ASC TO EDTASM"
100 PRINTTAB(4)*4 = EXIT TO BASIC"
110 PRINTTAB(4)*5 = EXIT TO DOS"
120 PRINTTAB(4)*6 = EXIT TO PENCIL"
130 PRINT:PRINT" PRESS NUMBER DESTRED ";
140 GOSUB740:IFIN$<"1"ORIN$>"6"THEN140
150 FC$=IN$:ONVAL(FC$)GOTO160,250,250,550,560,570
160 PRINTFC$:PRINT:PRINT"SELECTIVE OR TOTAL PURGE (S/T) ";
170 GOSUB740:PG$=IN$
180 IFPG$="T"THEN200
190 IFPG$<"S"THEN170
200 GOSUB580:IFPG$="S"THENPRINT"PRESS K TO KILL INDICATED FILE,
R TO RETAIN";:S1$="K":S2$="R":GOSUB600
210 PRINT"PRESS <ENTER> TO INITIATE PURGE ON DRIVE ";DR$;","PRI
NT"PRESS ANY OTHER KEY TO ABORT ";:GOSUB740
220 IFIN$<CHR$(13)THENGOTO50ELSEPRINTCHR$(27);CL$;
230 FORI=0TON:IFR$(I)<" "THENPRINT"KILLING ";R$(I);:K$=R$(I)+","
+DR$:KILLK$:PRINTCL$;
240 NEXTI:GOTO50
250 IFFC$="2"THENF$=" TO PENCIL"ELSEF$=" TO EDTASM"
260 CL$:PRINTCHR$(23); "CONVERSION";F$:PRINT:PRINT"USE DIRECTORY
(Y/N) ? ";
270 GOSUB740
280 IFIN$="N"THENCL$:PRINT:INPUT"TARGET FILE ";R$(I):GOTO330
290 IFIN$<"Y"THEN270
300 GOSUB580:PRINT"PRESS C TO CONVERT FILE";F$;"," X TO BYPASS":S
1$="C":S2$="X":GOSUB600
310 PRINT"PRESS <ENTER> TO INITIATE CONVERSION";F$;","PRINT"PRE
SS ANY OTHER KEY TO ABORT ";:GOSUB740
320 IFIN$<CHR$(13)THENGOTO50ELSEPRINTCHR$(27);CL$;
330 ONVAL(FC$)GOTO10,340,420
340 FORI=0TON:IFR$(I)=""THEN400
350 PRINT"CONVERTING ";R$(I);F$;:C$=R$(I)+": "+DR$
360 OPEN"E",1,C$:PRINT#1,CHR$(0); " ";:CLOSE
370 IFINSTR(R$(I),"/")=0THENB$=R$(I)+"/PCL":GOTO390
380 B$=LEFT$(R$(I),INSTR(R$(I),"/")-1)+"/PCL":IFR$(I)=B$THEN400
390 CH$="RENAME "+C$+" TO "+B$:CHDCM$
400 PRINTCL$;
410 NEXTI:GOTO50

```

```

420 FORI=0TON:IFA$(I)=""THEN540
430 PRINT"CONVERTING ";A$(I);F$;:C$=A$(I)+": "+OR$
440 OPEN"I",1,C$:OPEN"O",2,Z$
450 IFINSTR(A$(I),"/")=0THENB$=A$(I):GOTO470
460 B$=LEFT$(A$(I),INSTR(A$(I),"/")-1)
470 PRINT#2,CHR$(211)+LEFT$(B$+"",6);
480 IFEOF(1)THEN510
490 LINEINPUT#1,A$:IFLEN(A$)<7THEN480
500 FORS=1TO5:MID$(A$,S,1)=CHR$(ASC(MID$(A$,S,1))+4H08):NEXTS:PR
INT#2,A$:GOTO480
510 PRINT#2,CHR$(4H1A):CLOSE:KILLC$
520 CM$="RENAME "+Z$+" TO "+B$+"/SRC":CMDCM$
530 PRINTCL$:
540 NEXTI:GOTO50
550 CLS:END
560 CLS:CMD"S"
570 CLS:CMD"PENCIL"
580 CLS:PRINTCHR$(23); "PLEASE WAIT":ONERRORGOTO730
590 CM$="DIR ":+OR$:CMDCM$
600 ONERRORGOTO0:PRINT:PRINT"PLEASE WAIT ";
610 A$(I)=""
620 A$=CHR$(PEEK(X+Y)):IFA$=" "THENIFY=0GOTO670ELSEGOTO640
630 A$(I)=A$(I)+A$:Y=Y+1:GOTO620
640 PRINTCHR$(42):IFPEEK(X+Y+3)=00THENA$(I)=" "
650 I=I+1:GOSUB750
660 PRINTCHR$(8):Y=0:GOTO610
670 N=I-1:I=0:X=0:PRINTCL$:RETURN
680 IFA$(I)=""THENGOTO720ELSEY=LEN(A$(I))+X:PRINT#130+Y,:GOSUB7
40
690 IFIN$=52$THENA$(I)="":GOTO710
700 IFIN$>51$THEN600
710 PRINTIN$:
720 I=I+1:GOSUB750:IFI<4THEN600ELSEPRINT:PRINTCHR$(31):RETURN
730 PRINTCLS:PRINT"DRIVE NOT CONNECTED OR EMPTY":FORT=0TO1000:NE
XTT:RESUME10
740 IN$=INKEY$:IFIN$=""THENPRINTCHR$(143):FORT=0TO15:NEXTT:PRIN
TCHR$(8):FORT=0TO15:NEXTT:GOTO740ELSERETURN
750 IFI=3*INT(I/3)THENX=X+24ELSEX=X+20
760 RETURN

```



What do you do when you finish reading
TRS-80 Assembly Language Programming
by Bill Barden . . .

and you want to do some serious machine
language or assembly language programming?

Buy the

Z80 Software Gourmet Guide & Cookbook

Utility Routines • Stack Operations •
Searches and Sorts • Floating Point
Routines • Z-80 Instruction Set

New from
SCELBI
Publications



The Index lists over 100 assembly language
routines and subroutines that you can use!

\$14.95 plus \$1.00 shipping



The Software Exchange

6 South Street, Box 68, Milford, NH 03055 603-673-5144

MORE BOOKS FROM

TRS-80 DISK AND OTHER MYSTERIES

by Harvard C. Pennington

If you are serious enough about disk programming to own RSM-2D or NEWDOS+, then you ought to purchase this book. It explains the organization and features of TRS-DOS 2.0, 2.1, 2.2, NEWDOS, and VTOS, tells you how to use Superzap, RSM-2D, Monitor 3, Debug, Dircheck, and LMOffset, explains the directory track on the disk, file structures (including Electric Pencil files), and even gives detailed procedures for recovery of lost data. While this book is not recommended for the inexperienced user, it is essential for the serious disk programmer. The book is expensive, in 8½ by 11 format with typeset printing, and only 130 pages, yet the information is worth the price.

\$19.95

plus \$1.00 shipping and handling.

LITTLE BOOK OF BASIC STYLE

John M. Nevison

Ideal reference for BASIC programmer,
junior high to research scientist. Indexed,
illustrated, 151 pages.

\$5.95 plus \$1.00 shipping and handling

TRS-80 ASSEMBLY LANGUAGE PROGRAMMING

William Barden, Jr.

Covers Z-80, an Introduction to Assembly Language, the Radio Shack Shack Editor/Assembler and T-Sug, and debugging methods; also explains how to move data, the use of arithmetic, compare, logic, and bit operations, shifts, strings, tables, input and output, and 12 commonly used subroutines. Well indexed and illustrated.

\$3.95 plus \$1.00 shipping and handling


TRS-80 INTERFACING

by Jonathan A. Titus.

This valuable reference book for the hardware enthusiast with an understanding of Assembly language programming includes the schematic, printed circuit board artwork, and instructions for building a TRS-80 breadboard, plus 18 experiments to give a solid understanding of interfacing to the TRS-80.

\$8.95

plus \$1.00 for shipping and handling



Floppy Disk Diagnostic

by Dave Stambaugh

- 35 or 40 track in same program
- Tests controller functions and status bits
- Tests drive speed and allows adjustment
- Tests switches and mechanical components
- Verifies data transfer
- Tests drive seek function
- Sector end byte write and read tests using all possible patterns
- 16 to 48K, 1 to 4 disk drives
- Tests cross cylinder interference
- Tests drive-to-drive compatibility

The best and most complete diagnostic you can buy to verify disk drive reliability and find problems. Displays 19 error messages and cross references them to 14 possible causes. Continuous test option for exhaustive testing keeps statistical record of all errors found.

Supplied on diskette with manual for only \$24.95.



The Software Exchange


6 South Street, Box 68, Milford, NH 03055 603-673-5144

In the beginning there was Level I THEN THERE WAS LEVEL II NOW - LEVEL III BASIC

Open the manual and load the cassette. Then get ready to work with the most powerful Basic interpreter you've ever had your hands on . . . Level III Basic for Radio Shack Computers. It loads right on top of the Level II ROM, and in just 5K of space, opens up your capability to new dimensions. For starters, this new cassette-based interpreter gives you most of the commands usually found only in disk BASIC. Plus graphics commands. Plus Powerful editing commands. Plus long error messages, hex and octal contents and conversions, user defined functions and a number of commands never before available on either cassette or disk interpreters.

**Now do more than
ever before**

**With the most
powerful cassette
Basic you can buy
For the TRS-80**



- EASIER LOADING, FEWER KEYBOARD ERRORS
- BASIC ACCESS TO RS-232
- EASIER AND MORE POWERFUL GRAPHICS
- 10 USER CALLS
- ERROR MESSAGES
- TIMES
- TIMED INKEY
- RENUMBER
- ONLY MICROSOFT COULD DO IT. Q2 Level III Basic was created by Microsoft,

the same company that wrote Level II Basic for Radio Shack. And it actually uses Level II as a foundation for this enhanced add-on.


• **AVAILABLE NOW FOR ONLY \$49.95.** You get the power that might otherwise cost you hundreds of dollars in additional equipment for only \$49.95. Price includes the Users Manual, a Quick Reference Card, and a preprogrammed cassette tape.



The Software Exchange

6 South Street, Box 68, Milford, NH 03055 603-673-5144

**It's
Here
At
Last . . .**



Written by the author of your Level I Users Manual, **LEARNING LEVEL II** picks right up where the Level I Manual leaves off. It also supplies the changes needed to make the Level I Manual compatible with your Level II TRS-80.

LEARNING LEVEL II covers all Level II BASIC beyond Level I, plus much more. It shows you how to use the Editor, explains what the many error messages are really saying, and leads you thru conversions of Level I programs to Level II.

Dual cassettes, printers, the Expansion Interface with clock and other features are explained in the same easy-to-learn style that made the Level I Manual famous. **LEARNING LEVEL II** was created specifically for your Level II TRS-80!

Yes, I want to really learn how to use Level II!

Please send _____ copies of
LEARNING LEVEL II. My check for \$15.95 +
\$1.00 P & H is enclosed.

I understand my order will be shipped
promptly and there is a 30 day money-back
guarantee.

\$15⁹⁵ (soft cover)

Name _____
Address _____
City _____
State _____
Zip Code _____

TSE

The Software Exchange

6 South Street, Box 68, Milford, NH 03055 603-673-5144

TIRED OF DISK ERRORS?

STOP BLAMING YOUR DRIVES — FIX YOUR DOS!

NEWDOS, by Apparat, is the third generation disk operating system for your TRS-80. NEWDOS corrects over 70 errors and omissions in TRSDOS 2.1 and disk BASIC, yet the two are completely compatible! Programs and files saved under one can be used with the other interchangeably. Going from TRSDOS to NEWDOS is like going from Level I to Level II: more power, more convenience, greater speed.

NEWDOS NEWDOS+

- Use all DOS commands (incl. directory) in BASIC
 - Automatically load and run a BASIC program on power-up
 - Produce variable cross-reference tables
 - Open 'E' to add to sequential files
 - Append files
 - Use your line printer as a screen printer
 - Renumber BASIC programs
 - End keyboard bounce
- Editor/Assembler for disk
 - Disassembler (Z80 machine code)
 - LM Offset—allows transfer of any system tape to a disk file (automatically relocated)
 - BASIC1—Level one BASIC saved on disk
 - LV1DSKSL - not a typo, this saves and loads BASIC1 programs to disk
 - DIRCHECK—tests and lists disk directory
 - SUPERZAP—display/print/modify any location in memory or on disk

And, best of all, say goodbye to system crashes, lost data and wasted time caused by your old, bug-ridden system software.

Apparat's NEWDOS is fully documented and available for only \$49.95. **NEWDOS+, just \$99.95**

Use of this software may require documentation available only with the purchase of Radio Shack TRSDOS and/or the Radio Shack Editor/Assembler.



The Software Exchange
6 South Street, Box 68, Milford, NH 03055 603-673-5144

DEVICES (Part 2) by Lance Micklus

In an earlier issue of PROG/80, I wrote an article about DEVICE and TRSDOS and VTOS. I've gotten so much comment about that article, and so many requests to shed more light on the subject, that I've decided to add this article — a further discussion of DEVICES.

The thing that comes to mind is FORTRAN. FORTRAN is the oldest high level language still in popular use. Micro-computer people today seem to have little idea of what the old computers of 25 years ago were like.

One machine that I used about 12 years ago was the I.B.M. 1620. This machine had about 20K of RAM, a card reader, card punch, and a typewriter (not a Selectric either). At that time, I was an electrical engineering student at Tri-State College. One course in FORTRAN computer programming was required. A few years earlier, I had worked at I.B.M. as a computer operator, mostly on the 1401. I had written a couple of programs at I.B.M., so, I wasn't totally green to computer programming.

At the end of each week, we were required to write a FORTRAN program. After coding the thing on paper, we went down to the key punch room and punched each line of code out on computer cards. The finished program was submitted at the I/O desk. Twice a day, they would take all of the programs submitted and run them on the school's I.B.M. 1620. All of the output was printed on the typewriter. When you went to pick up your output, you got your deck of cards back (assuming the card reader didn't eat them), and the

printed output from the typewriter. You then went back to the key punch room and made up new cards to fix the errors, and repeated the process.

Some things should be painfully obvious. First, you really didn't want to write long programs. Second, you wanted to work it all out on paper very carefully before you tried to run your code on the computer. Yet, this is how many computer programs, even in the commercial environment, were written.

FORTRAN is a device driven language. Each device has a number called a LUN (Logical Unit Number). The function of each LUN depended on the machine you were using. The most common arrangements were:

- #1 — Console typewriter
- #2 — Paper tape
- #5 — Card reader
- #6 — Line printer
- #8 — Card punch

Not all of the LUNS were used. At Tri-State College, the console typewriter was the line printer, and their FORTRAN had been adjusted to cause that to happen. How?

Let's say you want to print some numbers on your line printer. The WRITE verb, in FORTRAN, requires a Logical Unit Number. In this case, it is 6. FORTRAN calls one of its own subroutines called \$LUN and passes the line to be printed on to it, along with the operation to be performed. \$LUN contains a table with the number of all LUN's defined for that particular computer. Included in the table is a list of what that LUN can and can

not do. You can not, for example, read the card punch. In this example, \$LUN finds that there is a device #6 on this computer, and device #6 can be used to WRITE. From the table, \$LUN pulls out the address of the machine language subroutine and jumps to it. This subroutine was written just for the Tri-State College 1620 computer. The subroutine caused a line of text to be printed on the typewriter, which was our line printer. Had the college later bought a real printer, all they would have to do is change this subroutine and everything would still work just fine.

Suppose I later went and changed the program so that the output went to device #8 instead of #6. Nothing would really change. FORTRAN would still call \$LUN, which would locate device #8 in the table. Finding that device #8 can WRITE, it would have jumped to that subroutine instead. The subroutine for device #8 takes a line of TEXT, and causes it to be punched on the card punch.

Now, let's suppose I again changed my mind and decided I wanted to have my output go to device #1. Still no difference — but this time, the output goes to the typewriter. Wait a minute! At Tri-State College, they didn't have a line printer, only a typewriter. Whether I output to device #6 or device #1, I still end up out on the typewriter. It turns out that the subroutine for LUN #1, and the subroutine for LUN #6, are one in the same. LUN #1 will also allow for input from the keyboard of the typewriter. It turns out that since the subroutines for LUN #1 and LUN #6 are the same, YOU CAN INPUT FROM THE LINE PRINTER!

It would not be a good idea to do this, however. One day, you may find a real I.B.M. 1403 chain drive

printer sitting there. To make it work, the subroutine for device #6 would be different than device #1 because they are two different machines. There's no way to enter data from a 1403 printer.

Let's stop and think about this for a minute because we have a really beautiful thing here. This means that we can take this FORTRAN compiler and run it on ANY I.B.M. 1620 no matter what kind of hardware is hung on it. The only change we need to make is in the table in \$LUN, and we have to supply our own machine language subroutines to support the hardware we have running on our own particular system.

Several years ago, Digital Research developed the CPM operating system for micro-computers. The idea was to develop an operating system which could be used on any 8080, and later Z80, micro-computer. All you had to do was supply the machine language subroutines for your own particular brand of equipment, and make the existence of that subroutine known to CPM. Thus, CPM acts very much like \$LUN.

Any program running under CPM does its I/O almost the same way FORTRAN on the 1620 does. It calls CPM, passing to it the identity of the device it wishes to I/O with, the operation to be performed, and the location where the data is to come from or go to. CPM will then check for the existence of such a device in its table, check to be sure the operation is valid for that device, and pass control to the subroutine for that device. By changing the table and the subroutine, we can control what happens in the real world when that device is used. The beautiful thing here is FLEXIBILITY.

One computer running CPM

might have the printer subroutine drive a serial port because the printer is a serial printer. Another computer running CPM might have its printer subroutine drive a parallel port because that's how the printer on that system is connected. The programmer writing under CPM doesn't care what is out there. He is free to change the device anytime he likes.

This kind of flexibility will let you do a lot of things. By patching CPM so the keyboard device is supported by a subroutine which gets its input from a serial port, and patching the video device to output to the same serial board; using a modem, a terminal thousands of miles away could run your computer. (NOTE: In CPM, the keyboard and video are normally the console device). The problem with CPM is that it is harder to learn to use than TRSDOS.

Randy Cook understood the advantages of a device system, and wisely decided to use it for the TRS-80. Devices were given names which began with an asterisk followed by two letters. In addition to this, he made it easy to change the equivalent of the LUN table so the function of a device could be altered, i.e., the printer can really be a disk file spooling the information up, or just a real printer. Likewise, a file can be treated as a device. Sequential files are a good example. Does it really matter if the data you're writing out is really going out to disk, or out to a printer? Usually not. There are special cases.

Consider a PRINT @ in a BASIC program. The new position of the cursor is not sent to the *DO device. Bill Gates at Microsoft pulled a fast one. He just changed the address of the cursor location, by-passing the operating system

entirely. What PRINT @ does, in effect, is treat the video monitor as a random access device since we can, at will, cause the data to appear anywhere on the screen.

Disk files are the other special case. They, too, can be randomly accessed. The positioning of the file is not done by transferring data. Rather, it is done by calling routines in DOS which move the position of the file. This isn't any different than what Bill Gates did with PRINT @, except that it is being done by Randy Cook.

The problem with these special cases is that many things in the real world can't do what they do. It's very hard to move the line printer to line 87, then to line 3, and then to line 47.

Suppose we force the issue, and change the operating system so the *DO device is actually going to put anything that was to be put on the screen out to a disk file. It would work, but we would not get the positioning information in a PRINT @ statement. So, if this is something you think you might want to do, don't use any PRINT @'s in your programs.

The same thing is true if we use a device in place of a file. An example might be to take some data that we would normally write out to disk, and have it, instead, printed on the line printer. That's fine, so long as the file is not randomly accessed.

The reason we have several input and output devices on a system is so we can separate different types of data. Obviously, we don't want "PRESS ENTER TO CONTINUE" in the middle of a report. In actual practice, output is formatted and divided up for use by a specific type of physical thing. Certain data is formatted and sent to device *PR because that is the data which we expect the user to print on a line

printer. In other words, looking at this from a programmer's point of view, we expect device *PR to really be a printer even though when Joe Blow runs our program, he may have changed things around in his operating system so that device *PR is a PLOTTER.

There is a school of thought that sees this situation as being awkward. But, the device people don't. If the output being sent through device *PR is the wrong kind of data for Joe Blow's plotter, that's Joe's problem. On the other hand, maybe Joe wrote his own clever driver program for device *PR which makes his plotter perfectly happy to operate like a line printer. It turns out that Joe wrote his plotter routine so he plots each letter out on paper in script, using liquid ink, so the output looks hand written instead of printer. And, whenever Joe wants, he can reset device *PR back so it sends the data to his Paper Tiger printer.

An even better idea for Joe would be to buy a copy of VTOS. Using the SET command, he can now create a new device called *PP for his plotter. Joe's word processor normally saves the text out to a file. Since the program writes to the file sequentially, would it really matter if the output went to a file or to a device on the system? So, instead of typing TEXT/LST for the output file spec, he types *PP as a filespec. Magic! His nice neat text material is printed on his plotter in script. Or, if he prefers, he could give his word processor the filespec *PR and have his line printer print out his text material. Another thing he can do is give his word processor the file name TEXT/LST. Then from VTOS, he just types COPY TEXT/LST TO *PP, and when that's done, he types COPY TEXT/LST TO *PR. Now, he has his text material in script on the

plotter, and then in print on his line printer. And he doesn't have to SET and ROUTE anything.

But Joe really knows how to use a device driven operating system. Instead of using the COPY command twice, as noted above, to go out to his plotter and then to his printer, he can do both at the same time. After spooling his text material to a disk file, Mr. Blow types LINK *PP TO *PR. Next he types COPY TEXT/LST TO *PP. WWWOOOWWW! Now Mr. Blow's text material gets plotted (in script yet) and printed AT THE SAME TIME! It turns out that the text material was really a job resume. After plotting and printing the resume, Mr. Blow realizes that a job resume, made on a plotter in script, isn't going to score any points with the Ajax Tuna Fish Company. Seeing the need for additional copies, on the printer only this time, he types COPY TEXT/LST TO *PR. Now, the job resume is printed on his line printer BUT NOT ON THE PLOTTER.

Why? Because the LINK command Mr. Blow used connects the plotter to the line printer, but not the line printer to the plotter. Thus, the order of the device names are significant. As it stands now, any output to the plotter will also be printed, but any output to the line printer will only be printed.

I freely admit that most people are not doing what I'm doing with my computers. The features I must have, you may be able to do without. And things you must have I can do without. But let me say this: I think that once you start using a device driven system, understand it, and begin to take advantage of all of the things it can do, you may never again want to go back to a dedicated task operating system such as the Model II has.

Editor's Recommendation: This is one of the most valuable programs I own. I have used it for tasks as varied as debugging, disassembling Level II, and storing my copy of Sargon II on disk for fast loading. The only other program I have that compares in value is NEWDOS. — George Blank

TSE

The Software Exchange

6 South Street, Box 68, Milford NH 03055 603-673-5144

RSM 2 (TAPE) \$26.95

RSM 2D (DISK) \$26.95

RSM 2/2D

by Small Systems Software



This is what you can do

COMMAND

A - ASCH DUMP:	Display ASCH equivalent of memory block
B - BINARY ARITHMETIC:	Add/subtract in hex and decimal
C - CHECK TAP:	Check tape for errors
D - HEX DUMP:	Display memory block in hex
E - EDIT:	Edit memory block
F - FIND BYTE:	Find and display byte
G - GOTO:	Go to specified address
H - HUNT SYSTEM:	Find and display system
I - INITIAL DUMP:	Initial dump
K - KEY LATCH:	Key latch
L - LOAD AND G:	Load and go
M - MOVE:	Move memory block
N - INPUT:	Input
O - CHECKSUM:	Compute checksum of specified memory block
R - READ TAPE:	Read cassette tape (header or standard)
S - SYMBOLIC DUMP:	Display memory in ZILOG Z-80 mnemonics
T - TEST MEMORY:	Test memory block and display errors
U - USER:	Allows user to write and execute new commands
V - VERIFY MEMORY:	Compare any two blocks of memory
W - WRITE TAPE:	Write any memory block to cassette tape
X - EXCHANGE:	Interchange any two blocks of memory
Z - ZERO MEMORY:	Write zero or any hex code into memory
@ - BREAKPOINT:	Inserts breakpoint at specified address
P - PUNCH:	Writes cassette tape in LEVEL II SYSTEM format
R - READ:	Read SYSTEM tape, display name, start address
L - LOAD:	Loads specified disk sectors into memory block
S - SAVE:	Saves memory block into specified disk sectors
Y - TRS232:	Set print parameters (baud, etc.) for TRS232
-> - PRINT:	Directs output to printer as well as screen

Make **TSE** your supply closet!

High Quality supplies
at excellent prices!

Cassettes

C-10 Box of ten each \$6.50 plus \$1 shipping

C-20 Box of ten each \$7.50 plus \$1 shipping

Mini Diskettes

Premium Quality:

DYSAN Box of 5

\$29.95 plus \$1.00 shipping

BASF Box of 5

\$24.95 plus \$1.50 shipping

Box of 10

\$39.95 plus \$2.00 shipping

Box of 20

\$99.95 plus \$2.00 shipping

Case of 100

\$299.00 plus \$3.00 shipping

Diskette Library Case

\$4.95 plus \$1 shipping

Floppy Armour™, Box of 5

\$4.95 plus \$1 shipping

SoftSide Vinyl Binders

\$4.95 each plus \$1 shipping

TO ORDER:
CALL TOLL-FREE
1-800-258-1790

9AM - 9PM, EST

TSE **The Software Exchange**

6 South Street, Box 68, Milford, NH 03055 603-673-5144



TYPING TUTOR

by Roy Groth

You probably have often thought that it would be a lot easier if you didn't have to "hunt and peck" at the typewriter or computer keyboard. If you could only double your typing speed, the job would be done in half the time! And, with increased speed and confidence comes increased accuracy.

Level II, 16K — \$19.95

Typing Tutor is a set of programs designed to teach you touch typing — from the basics of learning where the keys are, to practice drills at speeds that would make a Selectric shudder! Each lesson is displayed on the screen, including, at the early stages, a keyboard diagram. You are quizzed and graded, and you progress at your own pace. When you have mastered a lesson, the computer advances to the next, using CAI (computer aided instruction). Progress is fast, painless, and even fun as you keep pushing to break your own record.

So, whether you're going back to school or just want to enter programs from **SoftSide** that much faster, **Typing Tutor** can help.

Order a copy today and be a better typist by next week.

TSE

The Software Exchange


6 South Street, Box 68, Milford, NH 03055 603-673-5144

Programming Problem? Question about a TSE Program?

Try our Hotline...

You can call our programmers direct on Tuesday nights from 7 to 10 PM, (EST)

(603) 673-5144



ABS VAL ADD AND ASSIGN BRANCH CATERATE
CEILING CHR/ASC CIRCULAR COMBIN COMMENT
COMPRESS DEAL DECODE DIVIDE DROP ENCODE
EQUAL EXPAND EXPON FACTORIAL FLOOR GR DOWN
GR UP GREATER GREATER/EQ INDEX GEN INDEXING
INDEX OF INNER PROD LABEL LESS LESS/EQUAL
LOG MAX MEMBER MIN MULT. NAND NEGATE
NOR NOT NOT EQUAL OR OUTER PRODUCT QUAD
QUOTE QUAD RANDOM RAVEL RECIPROCAL REDUCTION
RESHAPE RESIDUE REVERSE ROTATE SHAPE SIGN
SYSTEM SUBTRACT TAKE

APL is a powerful and elegant computer language, yet it is easy to learn. It is ideal for the engineer, scientist, mathematician, circuit designer, or for the person who just wants to learn a new language.

Due to the absence of the special character set for APL on the TRS-80*, APL 80 uses shifted letters, which are identified on the screen with a lighted graphics block before the letter. If you have a modified TRS-80 (Electric Pencil Modification), a lower case driver is included to display the shifted letters on the screen.

Special features of APL 80 include the ability to save and load workspace on disk, return to DOS for directory or commands without losing your workspace or variables, and send output to a line printer. Four workspaces are included with lessons on the use of APL operators, commands, and functions, with many examples.

All of this plus instruction manual and the book **APL: An Interactive Approach**, for only \$49.95 plus \$1.00 shipping. 32K, 1 disk required; 48K recommended.

Reduced featured, 16K Level II tape version, no lessons, no book, I/O capacity, \$14.95; with book, \$39.95 plus \$1.00 shipping.

APL An Interactive Approach, Separately, \$15.50 plus \$1.00 shipping.




The Software Exchange

6 South Street, Box 68, Milford, NH 03055 603-673-5144

YOUR TRS-80* MICRO- COMPUTER!

Why chug along on an electric abacus when you can have the power of a berserk Ayatollah! These products double the horsepower of your computer!



I LOVE MY
ELECTRIC
PENCIL.

NewDOS+, with Dir Check, Super Zap, Disk Editor Assembler and A DOS that really works! **\$99.95**

Electric Pencil, It starts as the best text editor for your TRS-80*, but that is only the beginning! **\$150.00**

TRS-80 Disk and Other Mysteries by Harvard Pennington. All you need to know to unleash the power of Super Zap and Electric Pencil. **\$19.95**

**ONLY \$269
FOR ALL
THREE**

The Software Exchange

6 South Street, Box 68, Milford, NH 03055 603-673-5144

X-WING II

by Chris Freund

For the thousands who have enjoyed X-Wing Fighter, X-Wing II presents a totally new element in the game!



You are Pilot of an X-Wing fighter ...

Your Mission,
Destroy the Death Star!



Where X-Wing I left Death Star looming on the screen, **X-Wing II** lets you guide your fighter into the trench, find the exhaust port, aim and fire — all the while avoiding enemy fighters. Excellent graphics, 12 levels of play, and extensive INKLY\$ commands make this one of our most exciting real-time games.

Level II, 16K — \$9.95

The Software Exchange

6 South Street, Box 68, Milford, NH 03055 603-673-5144

A NEW USER'S GUIDE TO THE SOURCE

First Time on the Source

by Richard Taylor

Congratulations! You've just received your membership information from THE SOURCE. You have your ID number, and your white three ring binder full of information sent to you by THE SOURCE. What do you do next? Unfortunately if you are like 90% of the people I know, you determine that your RS232 board is not working! (Did you think it was just you?) People are doing strange things to get that little board working. If you are a soldering expert, you can build up all the contacts on the board. However, if you are like me, you will have to live with the fact that every few weeks the contacts will need cleaning. I know one gentleman who insists that the board has to be heated with a hair dryer before it will function. Another person tells me that overheating is the problem and you must relocate your CRT and keep the lid off the RS232 compartment in the Expansion Interface. It seems that a combination of oxidation and a tendency for the board to bow is the main problem. To secure the connection one user suggests bending all of the pins up at a 45° angle. He warns that the board is difficult to reinstall because of the short screws. Some people are convinced that the problem lies on the underside of the plug in question. The plug is symmetrical and contacts the Interface board in the same manner it attempts to

contact the RS232 board. If all else fails you will have to open up the bottom of the Interface (voiding your warranty) and remove the plug by taking out the mounting screws that run through the Interface board. This will allow you to remove the plug and clean both sides while bending up all the pins. Building up the solder on the fingers of the Interface board is also recommended. A reliable source tells me that this is the method used by Radio Shack.

I keep my monitor on a shelf above the Interface and I also keep the screws out of the RS232 compartment cover. I find that a light pressure on the contact edge of the board gets mine running. Some people have no problems. If you do, then experiment. Just be aware that the contacts can be worn down easily. The most consistent cure I have heard is to clean the contacts with an ink eraser. This has worked for me, but it is not recommended by Radio Shack.

Everyone agrees that this board was a big design error. I know of two companies coming out with their own versions that will work without the expansion interface. ST80UC and ST80III now incorporate a test for the RS-232-C board as the program initializes. A nice touch. It has saved me some otherwise wasted long distance calls.

Now that you have rebuilt your

Expansion Interface, we can get on to the reason you bought the RS232 in the first place — to access THE SOURCE.

To access THE SOURCE, set your Modem to FULL DUPLEX and ORIGINATE. THE SOURCE recommends an 8 bit word length with parity disabled but a 7 bit word with even parity works fine.

Call the local number THE SOURCE has given you and follow the procedure for either TYMNET or TELENET. If you are using an ST80 series program and signing on through TELENET please answer "Terminal =" with DECWRIII. This will greatly increase your speed for receiving and transmitting. All Nulls are eliminated and that works well with ST80.

THE SOURCE has expanded to two separate systems (10 and 11) and more are planned for the near future. After hooking up to the correct system you will be asked to sign on. Give your account number followed by a space followed by your password. Please note that your password is entered as control characters. They will not print on the screen. This allows you to show off THE SOURCE at your local Radio Shack and still sleep easily knowing hundreds of strangers will not be using your account the following day.

The system will sign you on and tell you what time it is. Then it will just sit there. Don't get jumpy and start hitting ENTER and BREAK. Everything you enter is stored in a buffer and used to answer any subsequent prompts and questions. Depending on how busy the system is, in a few seconds (2 - 45) you will get some introductory information about whats going on such as:

YEARNING TO BE A PARTY
ANIMAL? TYPE...DATA TUPPER-
WARE

When the announcements stop you will get the system prompt { }. Typing "DATA TUPPERWARE" will get you just what you think it will. I made up "DATA TUPPERWARE" but you get the idea.

One of the first things you should do on the system is to get acquainted with the MAIL SYSTEM (the backbone of THE SOURCE). One of the best ways to do this is to send me a letter, as I run "SOURCE-80" the TRS-80 Users Group of THE SOURCE. Start by typing MAIL. The system will answer with "Send, read, or scan". Answer "SEND". It then asks "To?" and you answer with the persons account number to whom you wish to send the letter. In this case you would answer TCBS75. The next question is "Subject:". You may answer anything you want here up to 122 characters or 132 if you used my DECWRIII hint at sign-on. Hit ENTER to terminate the subject. Now you're on your way. The system says, "Text:". Start typing your message. Just like using ELECTRIC PENCIL right? Wrong!! As you are typing, THE SOURCE is quietly counting up to 122 or 132 characters and then chopping off everything between that character and the next carriage return (ENTER). You must hit ENTER at least every 122 characters. The best habit to develop is that of hitting the ENTER key at the end of every Video line.

Your letter may consist of anything and be of any length. Some of THE SOURCE-80 mail runs 400+ lines. We send entire BASIC programs through the Mail. You can use null lines or anything else with the exception of the @ symbol (more on that in the future). Typing an ESCAPE (control C) ends and sends the letter. For ST80 people, that's your CLEAR key. You may

also type ".SEND". All text handling commands begin with a period as the first character of the line so THE SOURCE can recognize them. If things get messed up while you're typing a letter you can always type ".DISPLAY" and your letter will be retyped for you to examine.

After sending the letter you are returned to the "To:" question. Typing "QUIT" will return you to command mode. "QUIT" works almost anywhere you have the opportunity to answer a question. The "BREAK" key for ST80 is also a lifesaver. At the point where you have inadvertently asked UPI for all the stories it sent during 1979, you will be very relieved to know the "BREAK" key will stop it from complying with your request.

A lot of what you do your first time on THE SOURCE will depend on whether or not you have a printer and then upon whether or not you have a terminal program that allows you to use that printer easily. The manual you received from THE SOURCE is just an introduction to the vast amount of information stored in THE SOURCE. I have a book of over 75 pages of printouts taken from THE SOURCE data files and it is not complete! Page nine of your Users Manual shows you an index for SYSINFO. This file on THE SOURCE contains detailed information needed for creating and editing files. It also has the fundamental information needed to program in BASIC and FORTRAN on THE SOURCE. Don't confuse this with DATA SYSDOC. That file lists the manuals available for purchase through your account. The file lists the title and the price and how to order them on THE SOURCE.

Typing "DATA LIBALL" will give you a general index of the data files you might want to read. Each one of

these files will lead you to more and more detailed information on the subject.

THE SOURCE is set up for an 80 character line length and a 24 line CRT. This does not work perfectly with the TRS-80. THE SOURCE will pause every 24 lines and wait for you to hit ENTER. At any one of these pauses, you may type "NOCRT" and defeat this pause. This is especially useful if you are printing the information or just loading it into ST80's memory buffer. On the same subject, the MAIL system also pauses and asks "—MORE—". The first time allows you to skip the letter by answering "NO". Thereafter it will ask "—MORE—" every 24 lines. If you are receiving a program from me you will want to defeat this pause. Answer one of the "—MORE—"s by typing "HARDCOPY" or "NOMORE". The printout will then proceed uninterrupted.

Typing "POST" will put you in the POST SYSTEM. This is a Bulletin Board service and it's organized by category. Only valid categories such as "TRS-80" and "CLUBS" will be accepted. If you answer the category question with "HELP" you will be rewarded with a full list of valid categories and the number of messages in each. I think you will be amazed at some of the categories.

At any point in your wanderings around THE SOURCE you may suddenly see the message, "***TCR344 User 22***" following by something like "Hi, want to chat???" This is TCR344 busting in to see if you want to chat. If you do you will have to get out of whatever program you are in and return to COMMAND MODE. Once you get the prompt, type "CHAT TCR344". You are now in direct contact with TCR344. Anything you type appears on his screen and vice-versa. When

you finish your thought, hit (ENTER) twice to let him know it's his turn. Chatting is very time consuming but it can be fun. If you type "POST READ CHATTER" you will see messages from other people who wish to chat. If they have left by the time you read their message the system will tell you they're not around.

Notice that line, "POST READ CHATTER"? It's called a COMMAND LINE and it puts you into the program with all input answered. Once the called function is finished you will be returned to COMMAND MODE rather than staying in the program requested. This works with UPI and MAIL also. You may type "MAIL READ" for instance. Typing "MAIL TCB575" places you right into sending a letter to me and when it is sent, returns you to the system prompt.

Typing "ONLINE" gives you a listing of who's on the system at that moment. Unfortunately you can't see who's on the other systems but if you know they are there you can still CHAT with them.

"DATA USEDIR" tells you all about the User Directory. You may add your own name of search through for users with similar interests to your own. No last names are allowed. You can search by interest, name, user ID, or State. Please be aware that this search is like any other computer search. TRS-80 will not match TRS 80 or TRS80.

When you send me a letter asking about SOURCE-80 I will send you some of the latest information generated by the group. The information may include entire BASIC programs or programs written in Assembler Source code. The group has developed it's own software to work in conjunction with ST80D or III for disk. This

software includes the "BASIC File Utility" program that is being published in this same issue of PROG/80. This program allows you to take an ASCII file generated by ST80 and convert it for instant use with the EDITOR ASSEMBLER. The program will also convert ASCII files for use in the unmodified PENCIL. I say unmodified because you may remember a previous article of mine in which I discussed using ST80D + PENCIL + VTOS 3.0 for total flexibility in editing text and programs generated by ST80. Our group has now developed this same capability for PENCIL in NEWDOS and TRSDOS. I mention only ST80D and ST80III because frankly I am unaware of any other terminal program that comes close to their power. They are fast becoming the standard intelligent terminal software for the TRS-80 and rightly so. Lance Micklus is a member of our group and he takes on all of the difficult questions involving his programs.

That should be plenty of information to get you started on THE SOURCE. The customer service toll-free number is 800-336-3330 and they are very helpful. If you have any questions involving THE SOURCE and the TRS-80 I hope to see them in my mailbox on THE SOURCE - TCB575.

P.S. If you get bored with all the information features you can always type "DATA CHECKERS". Lance Micklus rewrote all of the I/O routines and we now have "THE MEAN CHECKERS MACHINE" running on THE SOURCE. He has kept the screen width to 40 characters so APPLE's and PET's can play too.

Remember the Good Old Days? . . .
You can recapture them!



Level I in Level II

by APPARAT

Level I BASIC interpreter loads in top 4K of any 16K Level II TRS-80. Allows unmodified load, run, and CSAVE of Level I programs — no conversion hassles! Great for teaching beginners, young and old, to program in BASIC.

"System" tape for Level II, 16K — \$15.00

The Software Exchange

6 South Street, Box 68, Milford, NH 03055 603-673-5144

THE AUTOMATED DISKETTE DIRECTORY

by George Blenk

All you do is insert the diskette in the drive and type the name or number you use for that diskette. The program automatically reads the directory of the diskette, ignoring invisible files like BASIC/CMD and normal DOS files like DISKUMP/BAS, and stores it in a disk file.

DISPLAY OPTIONS INCLUDE:

\$14.95

BASIC
cassette

Printout to screen or line printer
Alphabetic sort
Search for single program using INSTR
(A search for TRE would find STARTREK and TREES)
Index to a single disk
Search and RUN program

Three programs with instructions for loading on a NEWDOS diskette and instruction manual.

IMPORTANT: This program requires the following minimum system:

At least **TWO** disk drives
32K of memory

NEWDOS by Apparat (Uses CMD "DIR" and OPEN "E")

This Could Be The Handiest Program You Own! By Ken Knecht

Dynamic Data Base

A data base manager is a general purpose file management program that can be set up for different uses. This could be the handiest program you own!

You specify the number of items in the file, whether they are numerical or alphanumeric and how long each item is, and the program creates the file, receives your data, sorts it, searches for information, stores and retrieves from disk, and will even perform arithmetic with data items.

Very easy to learn and use, yet you can use it for mailing lists, hobby collections, inventory, appointments, accounting, work organizing, radio logbook, billing records, telephone numbers, or a thousand other uses!

Manual and 3 programs in basic on disk for 32K or large systems with one or more drives **only \$39.95**



The Software Exchange

6 South Street, Box 68, Milford, NH 03055 603-673-5144



PENCIL/PAL

by Microcomputer Specialists

Form letter generator for use with the Electric Pencil by Michael Schreyer. You can use a mailing list maintained as a PENCIL file, print letters selectively using selection codes, use custom greetings for each account, and print labels. Requires 32K 1 Disk System, Electric Pencil, and lower case modification kit. (Program 121 lines 5600 Bytes) **\$35.**



The Software Exchange

6 South Street, Box 68, Milford, NH 03055 603-673-5144

Richard Taylor's Magical Sound

TRS-80 Opera Theatre

The finest musical program we have seen for the TRS-80. It deserves a quality amplifier. Amazing sound! Richard Taylor is an opera singer with a magnificent ear!

Selections:

- WILLIAM TELL OVERTURE • MUSETTA'S WALTZ
- SEMPRE LIBERA • QUEEN OF THE NIGHT
- LA DONNA E' MOBILE

Challenge

"Didn't want to stop — nearly died laughing" - Scott Adams

Word guessing game with sound effects, one or two players. Truly challenging and competitive.

Separately on cassette \$9.95 (each program)

Both programs on disk \$19.95 (two programs)

The Software Exchange

6 South Street, Box 68, Milford, NH 03055 603-673-5144

3² 9⁸ 7⁴ 5
JANE

NUMEROLOGY

by John T. Phillipp

Contained within the name you received at birth is the uncanny ability to delineate your characteristics and forecast your future. The number of letters in your name and your date of birth are the basis for this occult art. Even skeptics are amazed at the accuracy of the readings . . .

ANOTHER GREAT FORTUNE-TELLING PROGRAM from the author of the highly successful SECRETS OF THE TAROT and I CHING. Complete your set!

32K Disk . . . \$14.95

The Software Exchange

6 South Street, Box 68, Milford, NH 03055 603-673-5144

THE HOTTEST NEW GAMES OF THE EIGHTIES!

Two masterful strategy games
by Douglas Carlston . . .

Level II, 16K cassette \$14.95 each

SPECIAL! Both
GALACTIC EMPIRE
and GALACTIC TRADER
on disk for only \$29.95!!!

The Software Exchange

TO ORDER:

Call Toll-Free
1-800-258-1790

GALACTIC EMPIRE

Build an empire that spans the Universe! Deploy mighty armies, conscript soldiers on strange planets, send forth starfleets of warships and transports, set tax levels, plan the use of resources, dispatch Intelligence missions . . . Conquest of all the known inhabited worlds is your goal!

If you're already a GALACTIC EMPIRE fan, you absolutely MUST have

GALACTIC TRADER

Peace has finally come to the Galactic system, united into a single federation. Though you no longer command Galactica's Imperial forces, you still have the vision and ambition to exploit new opportunities in trade. With two loyal comrades (Kirman and Computer Central) you set out to make a fortune. You must outwit the clever locals at the ancient game of barter, contend with the fuel cartel, watch out for spies from the large trading firms, and call upon all your experience in traversing space, including the use of suspended animation.

PERIODICAL CROSS REFERENCE

by Dave Stembeugh

YOU DON'T HAVE TO BE A LIBRARIAN

Every professional or serious hobbyist who relies on current literature to update his/her knowledge can benefit from this program. Build a file using any subjects or publications you like (18 per file). Allows you to add, delete, edit; search by subject or publication; list on CRT or line printer all or selected entries. SAVE, LOAD with both tape and disk versions.



- *Catalog and classify your library of computer (or other) magazines by individual articles under subject, publication, date, page, and title
- *List entries by subject or publication to CRT or printer

*Maintain date files on cassetts or disk (2 versions available)

- *Edit, delete, add entries at any time
- *Includes complete instructions

Cassetts version: Level II, 16K 14.95

Disk Version: Single disk, 32K 19.95

(Minimum configurations)

TSE

The Software Exchange

6 South Street, Box 68, Milford, NH 03055 603-673-5144



FORUM 80

by Richard Taylor

Computer Bulletin Board services are springing up all over the country. Some of the most common are called CBBS, ABBS, and FORUM 80. The latter is TRS-80 based and depending on your needs, can offer a wealth of information to the TRS-80 user. If you have a MODEM and only use it to send and receive information with another user, you are missing a lot of fun and information that is just a phone call away.

FORUM 80's operate at 300 Baud using a 7 bit word length for normal transmission and an 8 bit length for graphics. Choose a number from the list below and give it a try.

Set your MODEM for FULL DUPLEX and ORIGINATE and get your terminal program loaded. Dial the number and listen for a high pitched tone. Once you hear the tone, put your phone in the MODEM. If everything is running as it should, you will see "???????". Answer this by hitting the ENTER key (C/R). Next you will see "DO YOU NEED LINEFEEDS". Answer this with "Y" followed by a C/R. The next question is "HOW MANY NULLS (0-50)". Answer "0" C/R. It will then ask you your name and where you are calling from. Once logged on, the system will tell you what functions are available on the system. "HELP" will get you just that, help on what those functions mean. The basic

purpose of a FORUM 80 is the exchange of information through questions, answers and announcements. The command "S" will scan through the messages and give you an idea what they are about. Most systems offer "FLAGGED MESSAGE RETRIEVAL". This allows you to hit "F" while the summary is running and "FLAG" the messages you are interested in reading. After the summary is finished, entering "F" will print out all the messages you flagged. If you call the FORUM 80 in Dunstable, Mass. you can see the on-going dialogue between Lance Micklus and his ST80D users. There is some valuable information to be gotten and some fun also. Once you have tried one of these systems your phone bill may never be the same again.

One very exciting feature has just been added to two of the FORUM 80's and I am told many more will be following suit. This feature allows the automatic transmission of programs to ST80D users. It automatically opens and closes the "memory buffer" and prompts you when to save it to disk. I have used this with the FORUM in Dunstable, Mass. and the original FORUM 80 in Kansas City, MO. On both systems it has run error free.

Here is the list of FORUM 80's currently operating in the U.S.:

Orange County, CA	714-730-1206
San Francisco, CA	415-348-2139
Ventura County, CA	805-484-9904
Washington, DC	202-337-4694
Ft. Lauderdale, FL	305-772-4444
Tampa, FL	813-223-7688
Augusta, GA	803-279-5392
Chicago, IL	312-767-0202
Wichita, KS	316-746-2078
Boston, MA	617-431-1699
Dunstable, MA	617-649-7097
Kansas City, MO	816-861-7040 *
St. Louis, MO	314-838-7784
Princeton, NJ	201-874-6833
Las Vegas, NV	702-873-9491
Memphis, TN	901-276-8196
Dallas, TX	214-288-4859
Fort Worth, TX	817-923-0009
Wichita Falls, TX	817-855-3916

* The original

Local Systems

Boston, MA	617-963-8310
CBBS	
Boston, MA	617-354-4682
ABBS	
Anaheim, CA	714-772-8868
ABBS	

Other TRS-80 Systems

Olathe, KS
 Engineer-80 913-764-1520
 Programming and information of interest to engineers.
 Avionics-80 913-782-5115
 Information exchange service for those involved in aircraft electronics.

Fairfax, VA
 Family Historians 703-978-7561
 Forum
 The system for anyone interested in genealogy.

Kansas City, MO
 Market-80 816-931-3135
 Message exchange and data for those dealing in commodities.

The list is always growing but each system keeps a current listing of other system phone numbers. Have fun.

INPUT

A COLUMN OF YOUR LETTERS

Dear Sir:

The TRS-80 Model II System Disk File SYS10/SYS has some nice looking edit commands in it. To see them enter (in TRSDOS),

LIST SYS10/SYS.EFPN [SLOW,A]
 "ENTER"

(Look at Records 6 and 7

I just hope to find some time to try them out one of these days.

That same password (EFPN, all caps) works for ALL the system files

on the Model II I am programming. TRSDOS version 1.1

Happy Programming

D.J. Swindell P.E.

P.S. It only took 2 hours to find with a BASIC program and the 'ON ERROR GOTO' trap statement.

INVENTORY 'S'

by Roger Robitaille, Sr.

Inventory 'S' is an exciting advance in small business software for the TRS-80. Its in-memory system of data storage solves the problems of both sequential and random access files while providing extremely fast, random access to any record. Other advantages include the ability to use any combination of characters for stock number, an exceptionally flexible record format (field names are user-definable), and the ability to store data to tape or disk and upgrade at any time. Up to 150 items can be stored per 16K of available memory, with stock number, description, cost, vendor, reorder, and profit data in each record. An important feature is the ability to use your present stock numbers (a sort function is included), unlike competing systems which force you to use a different "record number". User-definable screen and printer reports let you see just the data you need, when you need it.

Inventory 'S' is an extremely powerful business management tool which can be used effectively with a 16K, tape based system or a 48K, disk and printer system — a claim nobody else can make!

Tape version, 16K (min.), Level II — \$24.95

32K Disk version — \$59.95


(same as tape, but on diskette with additional Disk I/O)

Now Includes Invoicing

TSE

The Software Exchange
6 South Street, Box 68, Milford, NH 03055 603-673-5144

**SPECIAL
NOW HALF PRICE!**



MICRO TAX

**Time Saving Programs From Aardvark Software
Help You With Your 1980 Income Tax**

All Programs:

- Form 1040 And Schedules A, B, and TC
- Print To Screen Or Printer
- Calculate Dividend Exclusion, Taxable Portion Of
- Unemployment Compensation, Political Contribution And Medical Expense Limits, Excess Itemized Deductions, And Capital Loss Limitation.

MICRO TAX II AND III

- Adds Schedule G And Forms 4625, 4726, 6251
- Calculate By Alternate Methods To Get Most Favorable Tax Rts
- Calculate Minimum Tax And Compare With Alternative Minimum Tax

MICRO TAX III

- Adds Schedules C, D, E, SE and Form 2119
- Depreciation Using Straight Line, Declining Balance, And Sum Of Digits
- Taxable Portion of Capital Gains
- Capital Loss Carryover
- Adjusted Itemized Deductions For Alternative Minimum Tax
- Self-Employment Tax

MICRO TAX IV AND V (DISK VERSIONS)

- Includes Form 2210 (Underpayment of Estimated Tax)

PRICES: CASSETTE: Micro Tax I, \$25;
Micro Tax II, \$35; Micro Tax III,
\$50

DISKETTE:
Micro Tax IV, \$100; Micro Tax
V, \$150

(Add \$2 Shipping and Handling)



The Software Exchange

6 South Street, Box 68, Milford, NH 03055 603-673-5144



STACKING YOUR SUBROUTINES ON THE HEARTBEAT INTERRUPT

by George Blank and John Hartford

How would you like to use your computer for two different tasks at one time? For example, you could print out mailing labels at the same time you are entering new names, or have sound effects or graphics routines in a game without losing keyboard control!

The secret is to use the heartbeat interrupt to call a machine language subroutine so that the computer alternates between your regular program and the machine language one. In order to do this, you must **POKE** the address of your subroutine into any convenient spot in memory, and the **INSERT** the address of your address into the heartbeat interrupt routine.

The computer checks the addresses in the heartbeat routine for a C9 (HEX) return instruction, and if it gets an address instead, goes to that address and loads another address into the program counter. It then executes the routine at the third address.

There are two groups of interrupt addresses. The first group is cycled through so that it is only tested once every forty milliseconds, while the second group is accessed every five milliseconds. For example the real time clock routine is in the first group, and alternates with 7 other possible tasks.

The interrupt addresses are at 4500 to 4517 hex. 4200, 4202, 4204, 4208, 420A, 420C, and 420E are the addresses which rotate, while 4210, 4212, 4214, and 4216 are serviced every 5 milliseconds.

Remember that in a Z-80, you must put the least significant byte of each address in the first memory location, and the most significant byte in the next location. Each location holds a two byte address.

Liteboat Associates, specialists in microcomputer disk software, is proud to offer the first professional disk-based language and utility package for the Radio Shack TRS-80 computer. Written by Microsoft, creators of Level II BASIC, the package runs on a TRS-80 system with 32K RAM, one or more drives and TRSDOS. The software is supplied on diskettes and consists of:

FORTTRAN a true relocatable machine code compiler for ANSI FORTRAN X3.9 (except COMPLEX variables).

MACRO ASSEMBLER a disk-based macro assembler utilizing Zilog mnemonics and producing relocatable code.

LINKING LOADER a link-edit and load FORTRAN and assembler modules for execution.

SUBROUTINE LIBRARY a complete library of subroutines existing as relocatable linkable modules for FORTRAN or assembler programs - e.g., double precision, square root, natural log, transcendental, etc.

DISK TEXT EDITOR to create and modify FORTRAN and assembler programs as disk files; also can be used as a general purpose text editor for correspondence and other documents.

TRS-80* FORTRAN SOFTWARE PACKAGES

This high-powered professional software package with full documentation is available at the DISCOUNT PRICE OF **\$150.**
PER COMPUTER SYSTEM

The Macro Assembler, Loader, Editor, and Cross Reference Utilities alone **\$80.**

The Fortran Compiler, Loader, Editor, and extensive library of scientific functions alone **\$80.**

Plus \$5.00 shipping
(separately \$2.50 each)

The logo for The Software Exchange, featuring the letters 'TSE' in a bold, stylized, italicized font.

The Software Exchange

6 South Street, Box 68, Milford, NH 03055 603-673-5144

* TRS-80 is a registered trademark of Radio Shack and Tandy Corporation.



GARON'S GOODIES

by James Garon

Repeatable Randomness

Several computers other than the TRS-80 have a capability which ours lacks: the ability to REPEAT a sequence of random numbers. This feature can be quite useful when attempting to debug a program which makes use of the RND function.

Well, we need no longer feel crushed and embarrassed. We too can repeat a random sequence! Try this: Turn off the machine. Turn it on again and enter the following:

```
10  FOR I=1 to 8
20  PRINT I RND (0),
30  NEXT I: PRINT
40  FOR I= 16554 to I+2
50  POKE I, 255: NEXT I
60  FOR I=1 to 8
70  PRINT I RND (0),
80  NEXT I
```

As you can see, lines 40 and 50 have reset the random number "seed" to its "Power on" condition without turning off the computer.

Poking values other than 255, 255, 255 into these three locations will give you different sequences which may then be repeated by rePOKEing the same values into the three "seed holders" (locations 16554, 16555 and 16556).

By the way, have you ever wondered what the RANDOM statement actually does? It takes the contents of the **refresh register** and jams it into location 16555 - right in the middle of the three byte seed! The refresh register **must** point to all blocks of memory every few milliseconds, so its contents at any given time are unpredictable.

At any rate, we now see why RANDOM only needs to be executed **once** in a given program.

ADVANCED Personal Finance

by Lance Micklus

First, we took the tape version of PERSONAL FINANCE and converted it for use under DOS. Then many new features were added such as self-verifying files which protect themselves from most common hardware faults, and the BUDGET program which collects data automatically from the CHECKING program, and manually from the keyboard. Advanced Personal Finance will produce a 30-page report that gives you the total picture of your financial posture. To complete the package, a SAVINGS account program lets you use the one savings account as if it were ten individual accounts. This way you can set a certain amount of money aside for Christmas, save an additional amount for a rainy day, and keep track of how much is for what.

Also included are programs to convert the data file on tape from the regular personal finance program to disk.

On a 32K disk system, the package will handle about 200 checks per month and 900 checks a year. There are 33 different account names which are set up with DATA statements in each program on the disk.

The minimum system required is 32K Disk BASIC with one drive. The addition of a line printer, a second drive, and upper/lower case video display all enhance the features. A second disk (not supplied) is required to store your data, as the program disk is very full.

Price, \$24.95

Original Tape Version: Personal Finance \$9.95



The Software Exchange

6 South Street, Box 68, Milford, NH 03055 603-673-5144

ZERO SLASH KILLER

by Timothy Smith, Monmouth, IL

Here is an assembly language program to eliminate the slash in the zero on line printer outputs. (Very useful when printouts are to be used by the general public (mailing labels/billings etc.)

Instructions for use:

Program may be loaded or poked in once before needed. Program will function until reset pressed or resetting pokes performed.

Listing

```
BFF3 F5    Push AF ; Save flags/accumulator
BFF4 79    LD, A,C; Load character into accumulator
BFF5 D630  SUB 30H; Subtract value of zero
BFF7 2002  JR NZ,,BFFB; If not zero go on
BFF9 OE4F  LD C,4FH; if zero change to letter O
BFFB F1    POP AF ; recover flags/accumulator
BFFC
C38D05    JP 058dH; on to line printer driver address
```

To use: Load beginning of above routine into the lineprinter driver address

4026H = MSB 4027H = LSB (example from above 4026H = F3 4027H = BF)

To reset: Reset driver address to 058D (4026H=8D 4027H=05) Poke and H4026, 141: Poke and H4027,5 or press reset button (all programs stored destroyed)

The program is set up for a 32K system, but can be adapted for 16K or 48K.

The 80-Users of Houston club meets the first Wednesday of each month , at the Bellaire Chamber of Commerce Building, 6900 S. Rice in Bellaire, Texas at 7:30 PM. For more information, call Ben Taylor at (713) 664-5823.

SOFTSIDE ON CASSETTES

If you have less time at the keyboard than you would like to, and have been missing out on some of SoftSide's feature programs, we've got a solution!

NOW AVAILABLE BACK ISSUES W/MAGAZINE \$9.95

1979

JANUARY

- Round the Horn ● Ten Pin Bowling
- Comput-A-Sketch ● Kiddy Slot

FEBRUARY

- Form 1040 ● Concentration
- Elements Quiz

MARCH

- Monitor ● Jigsaw
- Tarot ● Check Balance ● Dive Bomber

APRIL

- Safari ● Rabbits and Foxes
- Personal Finance (Checkfinder)
- Series Circuits ● Don't It Make My Brown Eyes Blue ● Metric/English

MAY

Converter

- Dog Star Adventure ● Awari ● Letter Crunch ● Math ● Super Sub

JUNE

- Atlantic Ballon Crossing ● German Word Quiz ● Nim ● Home Appliance Record System ● Entrapment

JULY

- All Star Baseball ● Yahtzee ● Tank
- Spelling Bee ● Collision

AUGUST

- Nuclear Reactor ● Storybook
- Cryptogram ● Shooting Gallery
- Morse Code Tutor

SEPTEMBER

- Engineer ● Treasure Dungeon
- Hangman ● Pyramids

OCTOBER

- Aptitude Test ● Reaction Time
- Battleship ● Westward 1847
- Tug-O-War

NOVEMBER

- Everest ● Isolate ● Energy Cost
- Picture Puzzles ● Doodle Pad

DECEMBER

- Oil Baron ● Drag Race ● Show and Tell ● Towers of Hanoi ● Slalom


1980

JANUARY

- Moving Maze ● Bomber
- Reflection ● Dante's Inferno
- Duck Hunter

FEBRUARY

- Scott Adam's Backgammon
- Parachute ● Deadstick ● Play It Again, Sam ● Deep Six



PROOFREAD

by Frank S. Kasper

Some programs have many statements for each line number. Have you ever had difficulty in getting a program of this kind typed into the computer and up and running? The question that immediately comes to mind is, has the program been copied accurately or does the program have glitches? Don't give up! Try the enclosed program for rapid accurate proofreading.

The program to be proofread must be saved on disk in ASC II form. The print-out will be in large 32 character-per-line format in short single statements up to the first colon,semicolon,or ENTER. Each time ENTER key is pressed another statement is displayed.

```
100 REM * PROOFREAD BY F S KASPER                DEC 1979 *
110 REM * THIS PROGRAM HELPS YOU PROOFREAD BASIC PROGRAMS *
    * STORED AS ASCII FILES ON DISKETTE          *
120 CLEAR 500:CLS
130 INPUT"WHAT IS THE FILESPEC OF THE PROGRAM TO BE PROOF-READ";
    B$
140 OPEN"1",1,B$
150 IF EOF(1)THEN 260 ELSE LINE INPUT #1,A$
160 S=1
170 S1=INSTR(S,A$,".")
180 S2=INSTR(S,A$,";")
190 IF S1=0 AND S2=0 THEN S1=LEN(A$):S2=1:GOTO230
200 IF S2<S1 THEN S1=S2
210 IF S1=0 THEN S1=S2
220 CLS:PRINTCHR$(23):PRINT:PRINTMID$(A$,S,S1-S+1)
230 IF S2=1 THEN S2=0:INPUT:AS$:GOTO160
240 S=S1+1:INPUT:AS$:GOTO180
250 CLOSE:END
```


- | | | | |
|---|-------------------|--|-------------|
| <input type="checkbox"/> Accts Rec II Disk 32K | 79.95 | <input type="checkbox"/> Floppy Armour - box of 5 | 4.95 + \$1 |
| <input type="checkbox"/> Adv Pers Fin Disk | 24.95 | <input type="checkbox"/> Fortren/Assembler | 150.00 |
| <input type="checkbox"/> 3 Adventures Disk | 39.95 | <input type="checkbox"/> Fortren | 80.00 |
| Adventures on tape | 14.95 | <input type="checkbox"/> Assembler | 80.00 |
| <input type="checkbox"/> Count | | <input type="checkbox"/> General Ledger Disk | 79.95 |
| <input type="checkbox"/> Land | | <input type="checkbox"/> Hem Radio | 9.95 |
| <input type="checkbox"/> Voodoo | | <input type="checkbox"/> Amateur Radio Disk | 24.95 |
| <input type="checkbox"/> Pirate's Cove | | <input type="checkbox"/> Histogram/Scattergram | 9.95 |
| <input type="checkbox"/> Mission Impossible | | <input type="checkbox"/> Home Finance Men. | 9.95 |
| <input type="checkbox"/> Strange Odyssey | | <input type="checkbox"/> Intro TRS-80 Graphics | 7.95 + 1 |
| <input type="checkbox"/> Fun House | | <input type="checkbox"/> Inventory II.2 Disk | 59.95 |
| <input type="checkbox"/> Pyramid Of Doom | | <input type="checkbox"/> Inventory II.3 Disk | 79.95 |
| <input type="checkbox"/> Air Raid | 14.95 | <input type="checkbox"/> Inventory II Disk | 150.00 |
| <input type="checkbox"/> Ali Star Baseball | 7.95 | Inventory S | |
| <input type="checkbox"/> Amateur Radio Disk | 24.95 | <input type="checkbox"/> Tape - 24.95 | |
| <input type="checkbox"/> Amazin' Maze | 7.95 | <input type="checkbox"/> Disk - 39.95 | |
| <input type="checkbox"/> Android Nim | 14.95 | <input type="checkbox"/> Journey Center Earth | 7.95 |
| <input type="checkbox"/> Appointment Log | 9.95 | <input type="checkbox"/> Kemikaze | 7.95 |
| <input type="checkbox"/> Balloon Race | 9.95 | <input type="checkbox"/> Keyboard 80 | 9.95 |
| <input type="checkbox"/> Backgammon | 7.95 | <input type="checkbox"/> Kriegspiel | 7.95 |
| <input type="checkbox"/> Barricade | 14.95 | <input type="checkbox"/> KVP Extender | 24.95 |
| <input type="checkbox"/> Beelo Handbook | 14.95 + \$1 | <input type="checkbox"/> KVP on Disk | 29.95 |
| <input type="checkbox"/> Basic Statistics | 19.95 | <input type="checkbox"/> KVP 232 | 24.95 |
| <input type="checkbox"/> Beelo Styles Handbook | 5.95 + \$1 | <input type="checkbox"/> Learning Level II | 15.95 + \$1 |
| <input type="checkbox"/> Batter Up | 5.95 | <input type="checkbox"/> Level I In Level II | 14.95 |
| <input type="checkbox"/> Bee Wery | 14.95 | <input type="checkbox"/> Level III BASIC | 49.95 |
| <input type="checkbox"/> Binders | 4.95 + \$1 | <input type="checkbox"/> Litetwo | 14.95 |
| <input type="checkbox"/> Blorhythms | 4.95 | <input type="checkbox"/> Light Pen | 19.95 |
| <input type="checkbox"/> Breakaway | 4.95 | <input type="checkbox"/> Machine Lang. Mon. (RSM-2) | 26.95 |
| <input type="checkbox"/> Breakaway/Robot | 7.95 | <input type="checkbox"/> Machine Lang. Mon. (RSM-2D) | 29.95 |
| <input type="checkbox"/> Bridge Challenger | 14.95 | <input type="checkbox"/> Magic Paper Calculator | 14.95 |
| <input type="checkbox"/> Calculator | 2.95 | <input type="checkbox"/> Mell List I Disk | 19.95 |
| <input type="checkbox"/> Cash Register | 9.95 | <input type="checkbox"/> Mell List II Disk | 99.95 |
| Cassettes | | <input type="checkbox"/> Maslermind | 7.95 |
| <input type="checkbox"/> C-10 | 10 For 6.50 + \$1 | <input type="checkbox"/> Meth Drill | 4.95 |
| <input type="checkbox"/> C-20 | " " 7.50 + \$1 | Mean Checkers Machine | |
| <input type="checkbox"/> Chess Companion | 7.95 | <input type="checkbox"/> Tape - 19.95 | |
| <input type="checkbox"/> Concentration | 7.95 | <input type="checkbox"/> Disk - 24.95 | |
| <input type="checkbox"/> Cribbage | 7.95 | <input type="checkbox"/> Microchess 1.5 | 19.95 |
| <input type="checkbox"/> Cubes | 9.95 | <input type="checkbox"/> Microtext Editor | 9.95 |
| <input type="checkbox"/> Directory Disk | 9.95 | <input type="checkbox"/> Moving Signboard | 9.95 |
| Diskettes | | <input type="checkbox"/> NEWDOS | 49.95 |
| <input type="checkbox"/> Dyan - box of 5 | 29.95 | <input type="checkbox"/> NEWDOS + | 99.95 |
| <input type="checkbox"/> Verbatim - box of 10 | 34.95 | <input type="checkbox"/> 9 Games/Preschool Child | 9.95 |
| <input type="checkbox"/> Diskette Storage Box | 5.00 + \$1 | <input type="checkbox"/> Payroll Disk | 59.95 |
| <input type="checkbox"/> Dog Star Adventure | 9.95 | <input type="checkbox"/> Pentominoes | 7.95 |
| <input type="checkbox"/> Drilli Masters | 7.95 | Periodical Cross Reference | |
| <input type="checkbox"/> German | | <input type="checkbox"/> Tape - 14.95 | |
| <input type="checkbox"/> Italian | | <input type="checkbox"/> Disk - 19.95 | |
| <input type="checkbox"/> Spanish | | <input type="checkbox"/> Personal Finance | 9.95 |
| <input type="checkbox"/> Russian | | <input type="checkbox"/> Pork Barrel | 9.95 |
| <input type="checkbox"/> French | | <input type="checkbox"/> PR Dogfight | 7.95 |
| <input type="checkbox"/> Music Theory | | <input type="checkbox"/> Pretlight | 20.00 |
| Electric Pencil | | Renumber | 7.95 |
| <input type="checkbox"/> Tape - 99.00 | | <input type="checkbox"/> 16K | |
| <input type="checkbox"/> Disk - 150.00 | | <input type="checkbox"/> 32K | |
| <input type="checkbox"/> End Zone | 7.95 | <input type="checkbox"/> 48K | |
| <input type="checkbox"/> Educator Assistant | 9.95 | <input type="checkbox"/> Three on Disk | 25.00 |
| <input type="checkbox"/> 8080-280 Conversion | 14.95 | <input type="checkbox"/> Robot | 4.95 |
| <input type="checkbox"/> 280 Instruction H'book | 4.95 + \$1 | <input type="checkbox"/> 'Round the Horn | 9.95 |
| <input type="checkbox"/> Electronics Assistant | 9.95 | <input type="checkbox"/> RPN Calculator | 9.95 |
| <input type="checkbox"/> Festgemmon | 19.95 | <input type="checkbox"/> RSM-2 | 26.95 |
| <input type="checkbox"/> File Handling | 9.95 | <input type="checkbox"/> RSM-2D | 29.95 |
| <input type="checkbox"/> File Manager 80 | 49.95 | | |

<input type="checkbox"/> Safari	7.95	<input type="checkbox"/> System Copy	9.95
<input type="checkbox"/> Sargon Chess	19.95	<input type="checkbox"/> Taipan	9.95
<input type="checkbox"/> Sargon II	29.95	<input type="checkbox"/> Ten Pin (bowling)	7.95
<input type="checkbox"/> Sargon Handbook	14.95 + \$1	<input type="checkbox"/> Taxi 80 Disk	59.95
<input type="checkbox"/> Secrets of the Tarot	9.95	<input type="checkbox"/> 3-D Tic Tac Toe	7.95
<input type="checkbox"/> Simple Simon	4.95	<input type="checkbox"/> Time Bomb	4.95
<input type="checkbox"/> Strik 'Um	4.95	<input type="checkbox"/> Time Trek	14.95
<input type="checkbox"/> Stelion	7.95	<input type="checkbox"/> Treasure Dungeon	7.95
Small Business Bookkeeping		<input type="checkbox"/> Treasure Hunt	7.95
<input type="checkbox"/> Tape - 15.00	<input type="checkbox"/> Disk - 25.00	<input type="checkbox"/> Troll's Gold	4.95
<input type="checkbox"/> Journal - 7.00		<input type="checkbox"/> TRS-80 Assy. Lan. Pro.	3.95 + \$1
<input type="checkbox"/> Snake Eggs (sound)	14.95	<input type="checkbox"/> Tycoon	7.95
Space Battles		<input type="checkbox"/> Typing Tutor	19.95
<input type="checkbox"/> Tape - 14.95	<input type="checkbox"/> Disk - 19.95	<input type="checkbox"/> Warfare	7.95
<input type="checkbox"/> Star Trek III.3	14.95	<input type="checkbox"/> X-Wing Fighter II	9.95
<input type="checkbox"/> ST80 Smart Terminal	49.95	<input type="checkbox"/> Z-80 Chip Poster	3.99 + \$1
<input type="checkbox"/> ST80D Smart Disk	79.95	<input type="checkbox"/> Z-80 Gourmet Cookbook	14.95 + \$1

The Software Exchange

6 SOUTH STREET MILFORD, NH 03055

Order Number: 603-673-5144

Level II software available on disk for a \$5.00 (per order) medium charge. This extra fee is for any number of programs transferred to disk from tape when you order. If the order exceeds the capacity of a single disk, we absorb the extra cost.

Please state level and memory size on order form . . . otherwise, we automatically ship Level II cassettes.

Be sure to include handling charge and any additional charges when figuring your total. All orders shipped with 24 - 72 hours. Prices subject to change without notice.

☐ UPS

☐ 1st Class

☐ Charge

☐ COD

Charge card account number

Signature

Expt. Date Inter.#

Charge customers: please fill in account information above and below

Name

Address

City State Zip

ALL SOFTWARE SOLD ON AN AS-IS BASIS WITHOUT WARRANTY. TSE assumes no liability for loss or damage caused or alleged to be caused directly or indirectly by equipment or products sold or exchanged by them or their distributors, including but not limited to any interruption in service, loss of business or anticipatory profits or consequential damages resulting from use or operation of such equipment or software. We are not responsible for typographical errors anywhere in this publication.

DO NOT FORGET SHIPPING CHARGES

Shipping Charge - Add \$1

Disk Charge - Add \$5

All C.O.D. and overseas orders must add \$5.

SoftSide™

PO Box 68
Milford, NH 03055
"your BASIC software magazine"

Rush me the next 12 issues of **SoftSide**.

- ☐ USA bulk \$18 1 yr. ☐ \$32-2 yrs. ☐ CANADA/MEXICO \$25 1 yr.
☐ USA first class \$25 1 yr. ☐ OVERSEAS airmail \$30 1 yr.
☐ APO/OVERSEAS surface \$25 1 yr.



Credit Card



Telephone your charge card order! Call our Subscription office Monday through Friday 9:30 to 5:30 (Eastern time) at 603-673-5144

--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

Exp. Date _____ Interbank # (M/C only) _____

Signature _____

Name _____

Address _____

City _____ State _____ Zip _____

Please remit in US funds ONLY

Ready to get serious? **SUBSCRIBE TO PROG/80** the magazine dedicated to serious programmers...beginners to professionals

SUBSCRIPTION RATES - 6 issues per year

USA
Bulk mail - \$15.00
First Class Mail - \$21.00
Overseas airmail - \$27.00

Canada
Mexico
APO/FPO
Overseas surface mail - \$21.00

☐ Check/Money Order enclosed

☐ Master Charge

☐ VISA

SIGNATURE _____

ACCOUNT # _____

EXP. DATE _____

NAME _____

ADDRESS _____

CITY _____ STATE _____ ZIP _____

Telephone orders accepted for Master Charge or VISA accounts. Call Monday through Friday, 9:30 to 5:30 EST at 603-673-5144

PO BOX 68, MILFORD, NH 03055

TINY COMP

by Dave Bohlke

A BASIC **Compiler** in BASIC! Run your source program in BASIC, Compile it into *FAST Z-80* Code and execute the compiled version — all without reloading. 26 Variables, GOTO, GOSUB, END, REM, RND, LET, +, -, IF, THEN, ELSE, <, =, >, INKEY\$, CLS, PRINT@, CHR\$. Compiled programs may be saved via TAPEDISK.

Supplied with game program, which uses all of the TINY COMP Statement set and is ready to compile.

Manual includes several sample programs as well as thorough documentation of the Compiler for those who like to know "how things work" and for those who might even wish to EXPAND on TINY COMP's capabilities.

Tape version: **\$19.95**

Disk version: **\$24.95**

The Software Exchange

6 South Street, Box 68, Milford, NH 03055 603-673-5144

PROG/80

A SoftSide Publication
P.O. Box 68, Milford, NH 03055

U.S. Postage
Paid
• Bulk Rate •
Permit No. 21
Milford, NH 03055